

LOOK WHAT'S NEW PROVEN PROTECTION LAB TESTED

WE'VE RAISED THE BAR

HUNDREDS OF NEW PRODUCTS HIGH QUALITY STANDARDS THE COMPLETE PERISHABLE PACKAGING COMPANY AND MORE.



DISTRIBUTION AND MANUFACTURING LOCATIONS: • CHICAGO/MIDWEST • NYC/PHILA



Last year, we promised that we would continue to think about, and only about, the box. We kept that promise. We thought, thought, and thought some more. And, when we were done thinking, we started investing. The results of our thinking and investing are reflected in this Catalog. We are proud to present hundreds of new products. All of our products, new and old, make it easy for you to protect the most valuable shipment in the World; yours.

While Polar Tech has been busy innovating and expanding, others have either struggled to survive or closed their doors. In these uncertain economic times, purchasers would be well-advised to live by the Latin adage "caveat emptor." Beware of those who resort to pseudo-science to market their products. Beware of those who are contracting for they may shrink themselves right out of business. Beware of those who offer the illusion of value. These caveats are not exhaustive. You can develop, or have developed, your own list.

You do not need to assume any risk. If you want the best, leave the rest and come to us. Since 1984, Polar Tech has offered quality packaging and shipping solutions. Now, Polar Tech offers an expanded and truly amazing array of products. Polar Tech is confident that you will find the product you need in this Catalog. If you do not find exactly what you need, contact us and we will guide you to an appropriate product or help you develop a custom solution.

Polar Tech is not done thinking and investing. Our commitment to providing our customers innovative products, unmatched product quality, and superior customer service, will not let us rest. We have already taken additional steps to ensure that Polar Tech will thrive, not just survive. As they say in the news biz, stay tuned.



Join Us and Recycle

Polar Tech was "Green" long before being "Green" was in vogue. All of Polar Tech's refrigerant and EPS products are and always have been, manufactured from inert materials that do not contain any harmful chemicals or emit any harmful gases. The gel in Polar Tech's refrigerant products is non-toxic and is entirely water soluble. All of Polar Tech's EPS products can be recycled. The fact is: Polar Tech's EPS products are friendlier to the environment than paperboard equivalents. EPS packaging products, compared to paperboard equivalents, generate 46% less atmospheric waste and 42% less waterborne waste. In addition, EPS products are produced with 30% less energy. So, if you are committed to being "Green," you will find a "Green" partner in Polar Tech.

TABLE OF CONTENTS

CONTENTS	
Dry Ice Insulated Containers and Handling Accessories	
Global Extreme [™] Kits and Thermo Insulated Transport Carriers	
Transport/Storage Chests (Dry Ice/Perishable Materials)	
Refrigerators and Freezers	
Commercial Chest Freezers	
ICE-BRIX® Refrigerants	
RE-FREEZE-R-BRIX®	
Saddle Bag and Cold Pockets [™]	
Box Sizing Assistance	
Thermo Chill® Insulated Foam Containers	
Convenient Lab Mailer Kits	
Overnite [™] Shippers and Mailers	
Multi-Depth Shippers	
Expand-Em [™] Shippers	. 20
Nestable Insulated Containers	
Insulated Totes and Space Saver Kits	
Cool Stuff [™] Insulated Mailers and Box Liners	
Lab Tube Mailers	. 26
Diagnostic Tube Mailers	
Specialized Lab Mailers	. 29
Lab Mailer Inserts and Cartons	. 30
Ice Bath, Carrying Straps, Specimen Transort Bags	. 31
Can Shippers (Non-Hazardous Liquids)	. 32
Bottle Shippers (Non-Hazardous Liquids)	. 33
Can Shippers (Hazardous Liquids)	. 34
Bottle Shippers (Hazardous Liquids)	. 36
Category A Infectous Substance Shippers and Medical Transport Bag	
Category B Biological Substance Shippers	. 38
Exempt Human Specimen Shippers	. 39
Exempt Animal Specimen Shippers	. 40
Insulated Pallet Covers	. 41
Refrigerated/Frozen Transports (Bulk Shippers)	. 43
Labels	. 44
Temperature Indicators and Tags	. 52
Foam Corners and Edge Protectors	. 53
Packaging and Shipping Room Supplies	. 54
Corrugated and Self-Seal Side Load Boxes	. 55
Mailers, Padded	. 57
Hand Staplers and Wrapping Tissues	. 58
Air Bubble Wrap, Wadding	
Packing Peanuts, Hopper, Vermiculite, Stretch Wrap and Nylon Cable Ties	. 60
Zip-Lock, Poly Bags, and Bag Sealer	
Glue Dot Dispensers and Rolls	. 62
Glue Sticks and Applicators, Utility Knives and Blades	
Paper Gum Tape and Dispensers, Cold Temp Sealing Tape	
Carton Tape	
Label Protection Tape, General All Purpose Tapes, Filament Tape and Dispensers	
Label Dispensers: Metal, Light Weight and Manual	
Label Dispensers, Packing List and Shipping Envelopes	
Stretch Film, Shrink Wrap Film and Equipment	
Garden Fence, Foam Plant and Faucet Covers	
Custom Packaging Options	
Temperature Conversion Chart and Perishable Packaging Assistance	
I served a s	· · -





DRY ICE INSULATED CONTAINERS



- Dry ice, wet ice or refrigerant storage
- Transfer ice from source to work areas
- Transport low temp items from lab to lab
- On site collection carriers
- Dry ice delivery and storage systems
- Insulated pads hold content temperatures while in use

Foam insulated storage chests are lightweight, molded EPS foam containers with tight fitting lids. Comes assembled in a sturdy lb. white corrugated box. Heavy-duty dolly available for some models.

	PART #	INSIDE DIMENSIONS L x W x D	OUTSIDE DIMENSIONS L x W x D	THICKNESS	DRY ICE CAPACITY	TOTAL VOL (CU. FT.)
	TC229	12″ x 10″ x 9″	15¼″ 13¼″ x 12¼″	11⁄2″	30+ lbs.	.06
	TC230	12" x 12" x 11½"	16" x 16" x 15½"	2″	50+ lbs.	1.0
NEW	TC240	13" x 13" x 12½"	16" x 16" x 15½"	11/2″	58+ lbs.	1.22
	TC249	16¾″ x 16¾″ x 15″	21" x 21" x 19½"	2″	130+ lbs.	2.5
NEW	TC247	17" x 10" x 12"	20" x 13" x 15"	11/2″	56+ lbs.	1.2
NEW	TC251	17″ x 10″ x 17″	20" x 13" x 20"	11/2″	85+ lbs.	1.7
	TC296	23" x 14" x 23"	28 ½″ x 20″ x 28 ½″	2 ½″	225+ lbs.	4.3

DRY ICE HANDLING ACCESSORIES

NEW

INSULATED DRY ICE COVERS

These insulated dry ice pads allows container and content to maintain temperatures during frequent use. Flexible insulated pad allow easy use of container and maintaining temperatures of contents during use, without excessive sublimation.

Insulated dry ice pads come with industrial grade woven poly polypropylene handles and $2'' \times 2''$ clear pocket.

FOR CONTAINERS ON PAGE 2

PART #	DIMENSION	FITS CHEST
1561	17″ x 10″	TC247 & TC251
1440	16¾″ x 16¾″	TC249
1430	23″ x 14″	TC296

FOR TRANSPORTS ON PAGE 5

PART #	DIMENSION	FITS CHEST
1560	21″ x 11″	TC02
1562	24" x 12"	TC05
1563	33" × 20"	TC11
1564	42" × 36"	TC30

STACKING WIRE BASKETS

Special secure stack feature allows safe stacking and organizing bottles, vials and bags from insulated chest to freezers or work areas. Constructed of heavy welded steel wire and thick white powder coat.

BASKET PART #	DIMENSIONS	FITS CHEST
1515	15″ x 15″ x 4¾″	TC249
1516	16" x 9" x 4¾"	TC247 & TC251
1517	22" x 13" x 4¾"	TC296

ALUMINUM DOLLIES

Transfer heavy/dry ice/bulk product with 4" diameter, 4 swivel caster, with lock brake dolly system.

DOLLY PART #	FITS CHEST
TCD249	TC249
TCD296	TC296

INSULATED DRY ICE COVERS



STACKING WIRE BASKETS



ALUMINUM DOLLIES



STRAPS

Industrial grade woven polypropylene strap, secure lids during handling and transport. Easy handling in field tests, transport, or inter-department.

STRAP PART #	FITS CHEST
1200	TC229
1202	TC230 & TC240
1201	TC251
1204	RTC296
103	261C

STRAPS



GLOBAL EXTREME[™] SHIPPERS/TRANSPORT CARRIERS

OVERNIGHT TO OVER 14 DAYS



THERMO CHILL[®] NYLON TRANSPORT CARRIERS



GLOBAL EXTREME

Global Extreme[™] Series

GE6 KIT: 3" wall thickness, I.D. 16" x 9" x 13" O.D. 22 1/2" x 15 1/8" x 19 1/8"

Foam unit assembled in a 32 ECT white corrugated box and includes

- Gusseted poly bag, top & bottom absorbent material
- 3 RB-62 (Re-Freeze-R-Brix[®] 9" x 4" x 3")
- 1 ICE-BRIX[®] "DO IT BIG" Saddle Bag Refrigerant wrap 12" x 32". Blanket your product with a curtain of cold™.

GE7 KIT: 2 ¹/₂" wall thickness, I.D. 23 ¹/₈" x 14 ¹/₈" x 23 ¹/₈" O.D. 28 ¹/₄" x 19 ¹/₈" x 28 ¹/₈"

Foam unit assembled in a 32 ECT white corrugated box and includes

- Gusseted poly bag, top & bottom absorbent material
- 3 RB-62 (Re-Freeze-R-Brix[®] 9" x 4" x 3")
- 2 RB-64 (Re-Freeze-R-Brix[®] 11¹/₄" x 9¹/₄" x 1")
- 1 ICE-BRIX[®] "DO IT BIG" Saddle Bag Refrigerant wrap 12" x 62". Blanket your product with a curtain of cold[™].

Ideal for the transport of temperature sensitive serums, tissue samples, lab specimens, blood field samples and medical supplies.

- Thick wall 11/2" EPS foam insulation
- Light weight
- Optimum temperature retention
- 3 styles available: Nylon Cover, Foam with Box and Foam Only
- 3 sizes available

*Optional carry straps – order separately

PART #	COVER STYLE	STRAP #	INSIDE DIMENSIONS L x W x D	OUTSIDE DIMENSIONS L x W x D	THICKNESS
229N	Nylon cover	N/A included	12″ x 10″ x 9″	15″ x 13″ x 12″	1 1⁄2″
229C	Foam w box	* 1200	12″ x 10″ x 9″	15″ x 13″ x 12″	1 1⁄2″
229F	Foam only	* 1200	12″ x 10″ x 9″	15″ x 13″ x 12″	1 1⁄2″
T43N	Nylon cover	N/A included	13″ x 13″ x 12 ½″	16″ x 16″ x 15½″	1 1⁄2″
T43C	Foam w box	* 1202	13″ x 13″ x 12½″	16″ x 16″ x 15½″	1 1⁄2″
T43F	Foam only	* 1202	13″ x 13″ x 12½″	16″ x 16″ x 15½″	1 1⁄2″
T51N	Nylon cover	N/A included	17" x 10" x 17"	20″ x 13″ x 20″	1 1⁄2″
T51C	Foam w box	* 1201	17″ x 10″ x 17″	20″ x 13″ x 20″	1 1⁄2″
T51F	Foam only	* 1201	17" x 10" x 17"	20" x 13" x 20"	1 1⁄2″

Strap # 1203 also fits J50 foam or foam with box.

TRANSPORT/STORAGE CHESTS

THERMO CHILL[®] DURABLE "INDESTRUCTIBLE" TRANSPORT





Thermo Chill[®] indestructible transporters maintain critical temperatures for your perishable materials. These durable transports are tough, double walled and built to last. Made using special melt-blend, high impact plastic, that is filled with polyurethane foam. Each container resists cold impacts and provides longer cold retention. Unlike other products, these transporters do not contain any fiberglass insulation and are, therefore, preferred by laboratories.

All sizes and styles have superior insulation for lowest sublimation rates. The tight fitting lids and durable construction maintain temperatures across a wide range of ambient temperatures. These containers have a square interior for maximum space utilization and a smooth interior that is easy to clean.

PART #	INSIDE DIMENSIONS L x W x D	OUTSIDE DIMENSIONS L x W x D	CUBIC FEET	WEIGHT
TC02	21″ x 11″ x 14″	30" x 21" x 24"	2	45 lbs.
TC05	24" x 12" x 29"	30" x 18" x 37"	5	58 lbs.
TC11*	33" × 20" × 27"	42" × 28" × 40"	11	130 lbs.
TC30	42" × 36" × 32"	49" x 43" x 43"	30	220 lbs.

* Caster Wheel Model.

INSULATED DRY ICE PADS AVAILABLE, SEE PAGE 3 FOR MORE INFORMATION.

Caster wheel models are convenient for safely transporting medium or tall larger pay loads in narrow corridors, aisles and tight working areas. Use as a dry ice, wet ice or cold pack storage transport.

- Convenient for dispensing dry ice or wet ice
- Ideal for dispensing dry ice or cold packs in a shipping and packing department
- Perfect for shipping or movement of biological materials, specimens, vaccines, hazardous materials or any perishable products
- Durable
- Ergonomically designed

TRANSPORT/STORAGE CHESTS

SAFELY TRANSPORT FROZEN AND REFRIGERATED PHARMACEUTICALS



Thermo Chill's upright chests assure that pharmaceuticals, biological and perishable products are safely transported at subzero, frozen or refrigerated temperatures.

PART #	INSIDE DIMENSIONS L x W x D	OUTSIDE DIMENSIONS L x W x D	CUBIC FEET	WEIGHT
TC25*	34″ x 21″ x 57″	39″ x 26″ x 75″	25	200 lbs.
TC55	33″ x 43″ x 65″	40" x 48" x 78"	55	332 lbs.
TC57	41″ x 34″ x 67″	46" x 40" x 79"	57	335 lbs.

* Caster Wheel Model.

FEATURES:

- TC25 narrow upright model with casters Ideal for dry ice dispensing and movement
- TC55 With shelves Organize multiple product items of packaged perishables
- TC57 Dry ice/cold pack bunker holds at least 80 lbs. of dry ice
- Soft sided insulated door allows fast access to products

REFRIGERATORS AND FREEZERS

COMMERCIAL REFRIGERATORS AND FREEZERS

25% off MSRP



All NSF units have stainless steel cabinets and doors. Larger compressors ensure faster recovery times. Condensers and motors are designed for commercial use. Interiors are sealed and easy to clean.

NEW MODEL #	DESCRIPTION	DOOR SWING	TOTAL VOL (CU. FT.)	TEMPERATURE RANGE (°F) (°C)	EXTERIOR DIMENSION L x W x D	Shipping Weight
KGM220RHY	Refrigerator Glass Door	Right	19.7		32″ x 31″ x 74¾″	309 Lbs.
KFS220RHY	Freezer SS Door w Lock	Right	19.4	0°F to -15°F -18°C to -27°C	32″ x 31″ x 74¾″	273 Lbs.
KFS221LHY	Freezer SS Door w Lock	Left	19.4	0°F to -15°F -18°C to -27°C	32" x 31" x 74¾"	273 Lbs.

Larger units available upon request.

LARGE-CAPACITY UPRIGHT REFRIGERATORS AND FREEZERS FEATURE

KFS220RHY

RIGHT DOOR OPEN

- Heavy duty, locking casters
- Interior light
- Heavy duty cooling system
- Use and care guide
- Warranty

Compliance: NSF certified Power: 120V/5A, 72" cord, NEMA5-15P

COMMERCIAL CHEST FREEZERS

COMMERCIAL - CHEST FREEZERS

25% off MSRP



NSF CERTIFIED FOR FOOD SERVICE AND LABORATORY APPLICATIONS.

Chest style freezers are constructed of durable white painted heavy sheet metal. Heavy duty cooling system meets NSF/ANSI 7 standards. Sealed cabinet interior allows easy cleaning. The large commercial compressor ensures faster temperature recovery times.

MODEL #	DESCRIPTION	TOTAL VOL (CU. FT.)	TEMPERATURE RANGE (°F) (°C)	EXTERIOR DIMENSION L x W x H	Shipping Weight
KCS070GW	Freezer/chest	7.2	0°F to -18°F -18°C to -29°C	35" x 23¼" x 36%"	128 Lbs.
KCS130GW	Freezer/chest	12.8	0°F to -18°F -18°C to -29°C	42¾" x 29½" x 36¾"	159 Lbs.
KCS200GW	Freezer/chest	19.7	0°F to -18°F -18°C to -29°C	61¼″ x 29½″ x 36¾″	212 Lbs.

ALL CHEST FREEZERS FEATURE

- NSF-certified
- UL approved
- Heavy-Duty casters
- Heavy-Duty wire basket
- Interior light system
- NSF-certified thermometer
- Defrost drain
- Commercial ENERGY STAR qualified
- Use and care guide
- Warranty

Compliance: NSF certified Power: 120V/5A, 72" cord, NEMA5-15P

ICE-BRIX® REFRIGERANTS

Leakproof ICE-BRIX®

ICE-BRIX[®] contains a specially formulated leakproof, long lasting, viscous gel refrigerant made with non-toxic ingredients listed as FDA GRAS. Rated **"Best in all aspects".**

ICE-BRIX® is the ultimate in refrigerant packs. Features include:

- Leakproof
- Variety of sizes
- Reusable
- Economical
- Custom imprinting



ICE-BRIX® poly bags are sealed in a heavy duty plastic pouch and keep perishable products at a constant and desirable temperature.

POLY BAG	WEIGHT (OZ)	APPROX. DIMENSIONS L × W × THICKNESS (INCHES)	QUANTITY PER CASE
IB6	6 oz.	4" x 6" x ¾"	96
IB8	8 oz.	4" x 6 ½" x ¾"	72
IB12	12 oz.	6″ x 6″ x 1″	48
IB16	16 oz.	6 ¼″ x 6″ x 1″	36
IB17	17 oz.	10 ½″ x 4″ x 1″	32
IB20	20 oz.	8" x 8" x ¾"	28
IB24	24 oz.	8" x 6" x 1¼"	24
IB31	32 oz.	8" x 8" x 1½"	18
IB32	32 oz.	10" x 6" x 1½"	18
IB38	38 oz.	14 ¼″ x 6″ x 1″	14
IB48	48 oz.	10 ¼″ x 8″ x 1½″	12
IB64	64 oz.	11″ x 8″ x 2″	8

ICE-BRIX® POLY BAG



Durable strength and performance is achieved by using a laminated, metalized polyethylene film. Our foil laminated film is flexible, durable, puncture resistant and UV heat reflective.

FOIL BAG	WEIGHT (OZ)	APPROX. DIMENSIONS L x W x THICKNESS (INCHES)	QUANTITY PER CASE
FB6	6 oz.	4" x 6" x ¾"	96
FB8	8 oz.	4" x 6 ½" x ¾"	72
FB12	12 oz.	6″ x 6″ x 1″	48
FB16	16 oz.	6 ¼″ x 6″ x 1″	36
FB17	17 oz.	10 ½″ x 4″ x 1″	32
FB24	24 oz.	8" x 6" x 1¼"	24
FB31	32 oz.	8" x 8" x 1½"	18
FB32	32 oz.	10" x 6" x 1½"	18
FB38	38 oz.	14¼″ x 6″ x 1″	14
FB48	48 oz.	10 ¼″ x 8″ x 1½″	12
FB64	64 oz.	11″ x 8″ x 2″	8

ICE-BRIX® FOIL BAG



Polar Tech Industries inventories all size refrigerants for your immediate shipment. Our large inventory allows us to respond quickly to your demands. We are your one-stop source for all your temperature packaging requirements.

ICE-BRIX[®] REFRIGERANT COLD PACKS

ICE-BRIX® MOISTURE SAFE



Moisture Safe film pouches reduce condensation during the humid months, products arrive dry.

MOISTURE SAFE BAG	WEIGHT (OZ)	APPROX. DIMENSIONS L x W x THICKNESS (INCHES)	QUANTITY PER CASE
TP6/MS	6 oz.	4" x 6" x ¾"	96
TP8/MS	8 oz.	4" x 6 ½" x ¾"	72
TP12/MS	12 oz.	6″ x 6″ x 1″	48
TP16/MS	16 oz.	6 ¼″ x 6″ x 1″	36
TP17/MS	17 oz.	10 ½″ x 4″ x 1″	32
TP24/MS	24 oz.	8″ x 6″ x 1¼″	24
TP31/MS	32 oz.	8" x 8" x 1½"	18
TP32/MS	32 oz.	10" x 6" x 1½"	18
TP38/MS	38 oz.	14¼″ x 6″ x 1″	14
TP48/MS	48 oz.	10 ¼″ x 8″ x 1½″	12
TP64/MS	64 oz.	11″ x 8″ x 2″	8

ICE-BRIX® LOW TEMPERATURE



This product features eutectic formula gel. Available upon request only.

LOW TEMP BAG	WEIGHT (OZ)	APPROX. DIMENSIONS L x W x THICKNESS (INCHES)	QUANTITY PER CASE
XB8	8 oz.	4" x 6 ½" x ¾"	72
XB12	12 oz.	6″ x 6″ x 1″	48
XB16	16 oz.	6 ¼″ x 6″ x 1″	36
XB17	17 oz.	10½" × 4" × 1"	32
XB24	24 oz.	8" x 6" x 1¼"	24
XB31	32 oz.	8" x 8" x 1½"	18
XB32	32 oz.	10″ x 6″ x 1½″	18
XB38	38 oz.	14 ¼″ x 6″ x 1″	14
XB48	48 oz.	10 ¼″ x 8″ x 1½″	12
XB64	64 oz.	11″ x 8″ x 2″	8

ICE-BRIX® BIODEGRADABLE



These are sealed in a biodegradable heavy duty plastic pouch and are, therefore, an Earth friendly way to keep perishable products at a constant and desirable temperature.

BIODEGRADABLE BAG	WEIGHT (OZ)	APPROX. DIMENSIONS L x W x THICKNESS (INCHES)	QUANTITY PER CASE
BD6	6 oz.	4" x 6" x ¾"	96
BD8	8 oz.	4" x 6 ½" x ¾"	72
BD12	12 oz.	6″ x 6″ x 1″	48
BD16	16 oz.	6 ¼″ x 6″ x 1″	36
BD24	24 oz.	8″ x 6″ x 1¼″	24
BD32	32 oz.	10" x 6" x 1½"	18



CUSTOM PRINT COLD PACKS

See page 12 for ICE-BRIX® Saddle Bag wraps.

Custom imprinting available on all films. Increase market exposure and promotional impact by using our ICE-BRIX® cold packs.

Your logo or design can be imprinted on these bags in red, green, blue or black. Low minimum runs and a small set-up charge required.

COLD PACKS AND COLD BRICKS

These cold packs are made with a heavy duty plastic pouch and when properly used keep perishable products at a constant and desirable temperature. Economy Grade.

POLY BAG	WEIGHT (OZ)	APPROX. DIMENSIONS L x W x THICKNESS (INCHES)	QUANTITY PER CASE
BLK6	6 oz.	4″ x 6″ x ¾″	96
BLK8	8 oz.	4" x 6 ½" x ¾"	72
BLK12	12 oz.	6″ x 6″ x 1″	48
BLK16	16 oz.	6 ¼″ x 6″ x 1″	36
BLK24	24 oz.	8″ x 6″ x 1¼″	24
BLK32	32 oz.	10″ x 6″ x 1½″	18
BLK48	48 oz.	10 ¼″ x 8″ x 1½″	12

Durable strength and performance is achieved by using a laminated, metalized

polyethylene film. Our foil laminated film is flexible, durable, puncture resistant and

APPROX. DIMENSIONS

L x W x THICKNESS (INCHES)

4" x 6" x ¾"

4" x 6 1/2" x 3/4"

6″ x 6″ x 1″

6¼″ x 6″ x 1″

8" x 6" x 11/4"

10" x 6" x 11/2"

QUANTITY

PER CASE

96

72

48

36

24

18

BLACK ICE[™] COLD PACK



BLACK ICE[™] FOIL PACK



THE REFRIGERATOR IN A BAG!

WEIGHT

(OZ)

6 oz.

8 oz.

12 oz.

16 oz.

24 oz.

32 oz.

UV heat reflective.

FOIL BAG

BIFB6

BIFB8

BIFB12

BIFB16

BIFB24

BIFB32

RE-FREEZ-R-BRIX[®] is a block of rigid foam that holds its shape frozen or thawed and is reusable. These refrigerants are non-toxic, sealed in a heavy plastic pouch, and are rated the best in foam refrigerants. Other products just don't compare.

- Prevents thawing... Keeps frozen products chilled for an extended period of time.
- Protects against freezing... When packaged in properly insulated containers, warmed RE-FREEZ-R-BRIX[®] release heat, keeping perishables from freezing.
- Protects from warming... Keeps perishables requiring a temperature range of 32°F to 60°F at a safe, uniform cool temperature for over 14 days.

PART #	OUNCES	LBS.	BRIX SIZE (INCHES)	QUANTITY PER CASE
RB7	7.5	0.50	4 ½″ x 2″ x 1½″	48
RB8	7.5	0.50	4 1/2" x 4" x 3/4"	42
RB15	15.0	0.95	4 ½″ x 4″ x 1½″	24
RB603	22.0	1.33	9″ x 8″ x ½″	16
RB28	28.0	1.75	7″ x 5″ x 1½″	12
RB30	31.0	1.90	9″ x 4″ x 1½″	12
RB60	64.0	4.00	9″ x 8″ x 1½″	6
RB62	64.0	4.00	9″ × 4″ × 3″	8
RB64	64.0	4.00	11¼″ x 9¼″ x 1″	12

COLD BRICKS



CURTAIN OF COLD®

SADDLE BAGS



COLD POCKETS[™]



INSERT COLD PACKS OR DRY ICE INTO POCKETS

NEW PRODUCTS

Fit your requirement & budget. Call our professionals for your needs.



COOL BARRIER BOX LINERS See page 25.



COOL STUFF[™] INSULATED MAILERS See page 24.

SADDLE BAGS AND COLD POCKETS

Fully wrap and protect your perishables with a "curtain of cold[®]". Unless you completely cover your product, the only thing keeping your product cold... is the product itself.

- Ultimate in temperature uniform stability
- Refrigerant Saddle Bags control the entire stability process
- Maximum temperature sensitive protection for bulk shipping of refrigerated or frozen products even under extreme ambient conditions for up to 6 days.
- Reusable
- Recyclable

ICE-BRIX® SADDLE BAG PALLET REFRIGERANTS

PART #	DESCRIPTION		
SB24	12" x 144" 18 continuous packs, full length cold wrap or cut to desired length		
SB10	8" x 34" 8 packs per length, in container cold wrap		

COLD POCKETS™ CREATE YOUR OWN CURTAIN OF COLD[®] WRAP, INSERT EITHER COLD PACKS, DRY ICE SLABS OR BOTH

PART #	DESCRIPTION
CP12	12" wide x 144" long 15 pockets per length

(Minimum 4 full wraps) 7 wraps will provide a full curtain of cold coverage for a pallet or bulk transport shipper. You can cut them to a length of your choice to surround your product and keep the cold in place during shipping. Use pallet rubber band part # 1301, 1401 or 1501 to hold the refrigerant against the product during shipping.

BOX SIZING ASSISTANCE

How to choose an insulated container and properly package your product effectively.

There are many variables to be considered when choosing a container and refrigerant that will protect your product from the elements, and shipping mishaps.

The three most important factors are insulation, refrigeration and **protective packaging.** More than just providing thermal protection you must also provide protection for the handling your package receives during shipment.

Refrigerants are the most important component of the perishable product package. Refrigerants control and stabilize temperature. The general recommendation is to place refrigerants across the top and all four sides (or at least two sides). Refrigerants are the lowest cost component of the package and the most important component for maintaining temperature.


CONTAINER THICKNESS

- ¾" 1" EPS foam molded insulated containers are recommended for Overnite[™] – 2 day shippers.
- 1½" 2" thick EPS foam molded insulated containers are recommended for 1 - 5 days transit.
- 2" 3" thick EPS foam insulated containers are recommended for 2 - 8 or more days in transit.

CHOOSING AND PACKAGING THE INSULATED CONTAINER

- 1. Arrange the product to be packaged, measure the dimensions (length x width x depth).
- 2. Add 1½" to the depth dimension for top refrigerant placement across top. Add 3" to width dimensions and 3" to the length dimensions for a 1½" space on either side of length and width to totally surround the perishable product with refrigerant.
- 3. Place the perishable products and refrigerants into the insulated container. Surround the product with refrigerant, for best results.
- 4. Fill all void areas (empty space) of the container with dunage or a solid type packing material. This maximizes the insulating performance, and prevents products from shifting.
- 5. Close the insulated container, label and ship.





POLAR EXPRESS[™] 2-3 DAY 1" INSULATED CONTAINERS

Perfect fit between our standard "Thermo Chill[®]" and "Overnite[™]" series containers. Structural 1"EPS foam is more rigid than ³⁄4" ON series. The 2-Day Polar Express[™] insulated containers are durable for 2-3 day transit.

FOAM ONLY	FOAM/CARTON	INSIDE DIMENSIONS L x W x D (INCHES)	WALL THICKNESS
PX06F	PX06C	57%" x 4½" x 6"	1″
PX318F	PX318C	9 ½″ x 9 ½″ x 3 ¾″	1″
PX323F	PX323C	12″ x 8″ x 6 ½″	1″
PX325F	PX325C	12 ³ ⁄4″ x 12 ³ ⁄4″ x 10 ¹ ⁄2″	1″
PX343F	PX343C	15″ x 9¼″ x 7½″	1″
PX344F	PX344C	15″ x 9 ½″ x 4 ½″	1″
PX345F	PX345C	15½" x 15½" x 12½"	1″
PX356F	PX356C	17″ x 12 ¾″x 6 ½″	1″
PX376F	PX376C	21½″x 16½″x 15½″	1″

POLAR EXPRESS[™] 2-3 DAY INSULATED CONTAINERS



T19F

INSULATED FOAM SHIPPERS (1-5 DAYS)



Our insulated foam containers are manufactured with the highest degree of quality and integrity. They are excellent shipping containers for everything from Biotechnology, Genetic Engineering, Organ Procurement, Diagnostic Testing to Pharmaceutical Distribution. Additional products include: fine chemicals, reagents, insulin, lab cultures, blood, tropical sea life and lab testing applications.

Any product that is temperature sensitive can be safely shipped in our Thermo Chill® Insulated containers.

Thermo Chill® containers are very economical because they are lightweight, reusable and recyclable. They are made in two pieces: a tight fitting lid and a seamless molded body.

Polar Tech Industries stocks most sizes for your immediate shipment. Our large inventory allows us to respond quickly to your quantity demands.

SMALL INSULATED CONTAINERS

	FOAM ONLY	FOAM/CARTON		INSIDE DIMENSIONS L x W x D (INCHES)	WALL THICKNESS
	201F	201C		6" x 4 ½" x 3"	1″
>	200F	200C		6" x 4 ½" x 5 ¼"	1″
	206F	206C	NEW	6" x 4 ½" x 6 ¼"	1″
	202F	202C		6" x 5" x 4 ½"	11/4″
	205F	205C		6" x 5" x 6 ½"	11⁄4″
	208F	208C	NEW	6" x 5¾" x 7¾"	2 ¼″
	211F	211C		6 1⁄2" dia. x 4 1⁄4"	11/2″
	204F	204C		8" x 6" x 4 ¼"	11/2″
	207F	207C		8″ x 6″ x 7″	11/2″
	209F	209C		8″ x 6″ x 9″	11⁄2″
	212F	212C		8″ x 6″ x 12″	11⁄2″
	213F	213C		8″ x 6″ x 15″	11⁄2″
	215F	21 <i>5</i> C	NEW	9" x 8" x 6 ½"	11/4″
	221F	221C	NEW	9″ x 8″ x 11″	11⁄4″
	214F	214C		9½″ x 9½″ x 7″	11/4″
	217F	217C		10 ¾" x 10 ¾" x 4"	11⁄4″
	218F	218C		10¾″ x 10¾″ x 7¼″	11/4″
	219F	219C		10¾″ x 10¾″ x 11″	11⁄4″
	220F	220C		10 ½" x 8 ¼" x 9 ¼"	11⁄2″
	228F	228C		10 ⁵ %" x 8 ³ %" x 8 ³ %"	11⁄4″
	237F	237C		10 ⁵ %" x 8 ³ %" x 13 ⁵ %"	11/4″



PERISHABLE THIS SIDE UP

STORES .

INSULATED FOAM SHIPPERS (1-5 DAYS)





MEDIUM INSULATED CONTAINERS

FOAM ONLY	FOAM/CARTON	INSIDE DIMENSIONS L x W x D (INCHES)	WALL THICKNESS
225F	225C	12" x 10" x 5"	11/2"
227F	227C	12″ × 10″ × 7″	11/2″
229F	229C	12″ x 10″ x 9″	11/2″
231F	231C	12″ × 10″ × 15″	11/2″
230F	230C	12" x 12" x 11½"	2″
232F	232C	12 3/8" x 10 1/2" x 10 3/8"	2″
234F	234C	12 ¾″ x 12 ¾″ x 4 ¼″	11/4″
235F	235C	12 ³ / ₈ " x 12 ³ / ₈ " x 8 ¹ / ₂ "	11/4″
236F	236C	12¾" x 12¾" x 12½"	11/4″
240F	240C	13″ x 13″ x 12 ½″	11/2″
238F	238C	13 ¾″ x 11 ¾″ x 11 7⁄4″	11/4″
282F	282C	14 ½" x 14 ½" x 4 ½"	11/4″
283F	283C	14 ½" x 14 ½" x 8 ¾"	11/4″
284F	284C	14 ½″ x 14 ½″ x 13″	11⁄4″
243F	243C	15¼″ x 12 ¾″ x 12″	1″
254F	254C	NEW 16" x 9" x 13"	3″
242F	242C	16¼″ x 7½″ x 8″	11/2″
241F	241C	NEW 16¼" x 11¼" x 6"	11/2″
249F	249C	16 ¾″ x 16 ¾″ x 15″	2″
253F	253C	16½″ x 9 5%″ x 17″	11/2″
252F	252C	16 ½″ x 10″ x 8 ½″	2″
245F	245C	17″ x 10″ x 8 ¼″	11/2″
246F	246C	17″ x 10″ x 10½″	11/2″
247F	247C	17″ x 10″ x 12 ¾″	11/2″

Thermo Chill[®] shippers are available as a "foam only" unit or foam in a functional and attractive white corrugated box.

- Large selection of sizes
- Superior Insulation
- Foam only
- Chest and lid assembly
- Foam in a box
- In stock immediate shipment



INSULATED FOAM SHIPPERS (1-5 DAYS)



LARGE INSULATED CONTAINERS

FOAM ONLY	FOAM/ CARTON	INSIDE DIMENSIONS L x W x D (INCHES)	WALL THICKNESS		
251F	251C	17" x 10" x 17"	11/2″		
250F	250C	17″ x 17″ x 9″	11⁄2″		
248F	248C	18″ x 14″ x 19″	11⁄4″		
260F	260C	19 ½″ x 11 ½″ x 4 ½″	11⁄2″		
261F	261C	19" x 12" x 12½"	11⁄2″		
266F	266C	19″ x 12″ x 16″	11⁄2″		
269F	269C	NEW 21¼" x 15½" x 15½"	2″		
291F	291C	22 ³ / ₄ " x 10" x 4 ¹ / ₂ "	1″		
292F	292C	22 ³ / ₄ " x 10" x 8 ³ / ₄ "	1″		
293F	293C	22¾″ x 10″ x 13″	1″		

CARRY STRAPS

Carry two insulated containers in one hand. Secure lids during handling and transport. See page 31 for ordering information.

260

EXTRA LARGE INSULATED CONTAINERS

FOAM ONLY	FOAM/ CARTON	INSIDE DIMENSIONS L x W x D (INCHES)	WALL THICKNESS
296F	296C	23″ x 14″ x 23″	2 1⁄2″
270F	270C	24 ½″ x 5 ½″ x 5 ½″	11⁄4″
295F	295C	25″ x 16 ½″ x 12″	11⁄2″
271F	271C	26" x 19%" x 10½"	11⁄2″
281F	281C	30 ¼″ x 14 ½″ x 16″	11⁄2″

CONVENIENT LAB MAILER KITS

CONVENIENT LAB SAMPLER MAILER KITS

The design of our chest and lid simplify packing and unloading.

- Insulated mailers with white box and cold packs in a convenient starter kit.
- Safely accommodates small bottles, samples or mail order shipments.
- Light weight, durable, excellent insulating properties.
- Reusable and recyclable.

COMPACT MAILER/ICE-BRIX® CONVENIENT PACKS

Kit order # 201KIT Convenient Pack – Includes

24 Item # 201C Compact mailers and (6" x 4 1/2" x 3" ID)

36 Item # IB8 ICE-BRIX® cold pack

COMPACT MAILER TEMP-CONTROL, 4 SPECIMEN TUBE/ICE-BRIX® CONVENIENT PACKS

Kit orc	ler # 201VIC	Convenient Pack – Includes
24	Item # 201C	Compact mailers and (6" x 4 ½" x 3" ID)
		with an assembled 4 cavity specimen tube insert,
		holds 4 (3 – 10 mil) tubes
36	Item # IB8	ICE-BRIX [®] cold pack

TALL COMPACT MAILER/ICE-BRIX® CONVENIENT PACKS

(2" more packing space)

Kit or	der # 200KIT	Convenient Pack – Includes
18		Tall Compact mailers (6" x 4 ¼" x 5" ID)
36	Item # IB8	ICE-BRIX [®] cold pack

211C BIO MAILER/ICE-BRIX® CONVENIENT PACKS

- **Kit order # 211KIT** Convenient Pack Includes
- 12 Item # 211C Insulated mailers (61/2 "Dia. x 4" ID)
- 36 Item # IB8 ICE-BRIX® cold pack

204C INSULATED SHIPPER/ICE-BRIX® CONVENIENT PACKS

- Kit order # 204KIT Convenient Pack Includes
- 10 Item # 204C Insulated shippers (8" x 6" x 4" ID)
- 12 Item # IB12 ICE-BRIX® cold pack

207C INSULATED SHIPPERS/ICE-BRIX® CONVENIENT PACKS

- Kit order # 207KIT Convenient Pack Includes
- 6 Item # 207C Insulated shippers (8" x 6" x 7" ID)
- 12 Item # IB12 ICE-BRIX[®] cold pack

For more information on refrigerant cold packs - see pages 9-11.









OVERNITE[™] SHIPPERS AND MAILERS

OVERNITE[™] (1-2 DAY)



Thermo Chill[®] Overnite[™] Shippers and Mailers are engineered especially for the 1-2 day shipper. They are lightweight, dependable and very cost-effective.

We manufacture a complete line of the highest quality, multi-use insulated containers for overnight or two-day shipments. These lightweight yet sturdy shippers are an inexpensive solution for shipping temperature-sensitive products via UPS, FedEx, Airfreight, Parcel Postal or other services.

For extended shipping times, make use of our ICE-BRIX® leakproof, and odorless gel refrigerant packs (see pages 7 and 8).

Our specially formulated packs are proven to be the best solution for long lasting, low temperature consistency during shipments.

- Priority shipments
- Lightweight
- Economical
- Multiple sizes

Carriers may require overnight containers to be shipped in a corrugated box.

We are your one stop source for all your temperature packaging requirements. The leader in stock selection

- Corrugated box
- All sizes in stock
- Immediate delivery

Inside Dimensions L x W x H

FOAM ONLY	FOAM/ CARTON	INTERIOR DIMENSIONS L x W x D	WALL THICKNESS
706F	706C	NEW 5 ⁷ / ₈ " x 3 ⁷ / ₈ " x 2 ⁷ / ₈ "	1/2"
201F	201C	6" x 4 ½" x 3"	1″
ON7F	ON7C	7" x 6" x 5½"	3/4″
ON12F	ON12C	9 1/2" x 7 1/2" x 5 1/2"	3⁄4″
ON18F	ON18C	9 ½″ x 7 ½″ x 10 ½″	3/4″
ON17F	ON17C	10″ x 10″ x 4 ¼″	3/4″
ON19F	ON19C	10 ½″ x 10 ½″ x 8″	3/4″
ON20F	ON20C	12″ x 9¾″ x 11″	3/4″
ON23F	ON23C	14" x 8" x 5"	3/4″
ON24F	ON24C	14" x 8" x 10"	3⁄4″
ON28F	ON28C	14 ½″ x 14 ½″ x 14″	3/4″
ON22F	ON22C	14 ½" x 6" x 4 ½"	3/4″
ON40F	ON40C	15″ x 13″ x 13″	3/4″
ON43F	ON43C	15¼″ x 12¾″ x 12″	1″
ON39F	ON39C	16¼″ x 10½″ x 7¼″	7/8″
ON47F	ON47C	16½″ x 10 ⁷ / ₈ ″ x 10″	7/8″
ON36F	ON36C	18 ½″ x 11 ½″ x 9 ¾″	3⁄4″
ON38F	ON38C	18 ½″ x 11 ½″ x 18 ½″	3/4″
ON49F	ON49C	18¾″ x 18¾″ x 17″	3/4″
ON50F	ON50C	20 ¾″ x 13 ¾″ x 14″	3/4″
ON55F	ON55C	20 ½″ x 12 ½″ x 5 ½″	3/4″
ON69F	ON69C	22 ⁷ %" x 16 ⁷ %" x 16 ⁷ %"	11/4″
ON66F	ON66C	25 ¹ / ₂ " x 6 ¹ / ₄ " x 6 ¹ / ₄ "	3/4″

INSULATED MULTI-DEPTH SHIPPERS

The perfect container for shipping everything from small, medium and large order fulfillment with minimal effort



The Expand-em[™] Series is designed to meet a full range of shipping needs. The distinctive "common" top and bottom style with easy-locking seal create multiple possible shippers from only two pieces.


The Expand-em[™] Series provides an affordable alternative for customers with storage restrictions as well as variable height sizing requirements. Simply add a lid to a lid or a lid to a base or a base to a base. Always allow room for your refrigerant packs or dry ice to help ensure your perishable product's integrity upon arrival.


Most carriers require the insulated shippers to be in an outer corrugated box. Our professional representatives can assist you further with any questions.

FOAM ONLY	FOAM/ CARTON	INSIDE DIMENSIONS L x W x D	OUTSIDE DIMENSIONS L x W x D	WALL THICKNESS
XM16F	XM16C	10¾" dia. x 4"	12 ⁷ / ₈ " x 12 ⁷ / ₈ " x 6 ¹ / ₂ "	11/4″
XM1F	XM1C	10¾" x 10¾" x 4"	12 ⁷ / ₈ ″ x 12 ⁷ / ₈ ″ x 6 ½″	1¼″
XM2F	XM2C	10¾" x 10¾" x 7¼"	12 ⁷ / ₈ ″ x 12 ⁷ / ₈ ″ x 9 ³ / ₄ ″	11/4″
ХМЗF	ХМЗС	10¾" x 10¾" x 11"	12 ⁷ / ₈ ″ x 12 ⁷ / ₈ ″ x 3 ¹ / ₂ ″	1¼″
XM7F	XM7C	10½″ x 8½″ x 5″	13″ x 11″ x 7 ½″	11/4″
XM8F	XM8C	10 ½″ x 8 ½″ x 8 ½″	13″ x 11″ x 11″	11⁄4″
XM9F	ХМ9С	10 ½" x 8 ½" x 12"	13″ x 11″ x 14 ½″	11⁄4″
XM10F	XM10C	10 ½" x 8 ½" x 13 ½"	13″ x 11″ x 16″	11/4″
XM11F	XM11C	10 ½″ x 8 ½″ x 17″	13″ x 11″ x 19½″	11/4″
XM12F	XM12C	10 ½″ x 8 ½″ x 22″	13″ x 11″ x 24 ½″	11⁄4″
XM13F	XM13C	10%" x 6½" x 2"	13" x 8%6" x 4%6"	3/4″
XM14F	XM14C	10 ⁵ / ₈ " x 6 ¹ / ₂ " x 3 ¹ / ₂ "	13" x 8%16" x 5 ¹¹ /16"	3/4″
XM15F	XM15C	10%" x 6½" x 5"	13" x 8%16" x 7%16"	3/4″
XM4F	XM4C	12¾" x 12¾" x 4¼"	15¼″ x 15¼″ x 6¾″	11⁄4″
XM5F	XM5C	12¾" x 12¾" x 8½"	15¼″ x 15¼″ x 11″	11⁄4″
XM6F	XM6C	12¾" x 12¾" x 12½"	15¼″ x 15¼″ x 15″	11⁄4″
XM17F	XM17C	14 ½″ x 14 ½″ x 4 ½″	17″ x 17″ x 7″	11/4″
XM18F	MX18C	14 ½″ x 14 ½″ x 8 ¾″	17″ x 17″ x 11¼″	11/4″
XM19F	XM19C	14 ½″ x 14 ½″ x 13″	17" x 17" x 15½"	11⁄4″
XM20F	XM20C	22 ³ / ₄ " x 10" x 4 ¹ / ₂ "	23 ¾" x 12" x 6 ½"	1″
XM21F	XM21C	22¾" x 10" x 8¾"	23¾" x 12" x 10¾"	1″
XM22F	XM22C	22¾" x 10" x 13"	23 ¾″ x 12″ x 15″	1″

F = "Foam Unit Only" container described above.

C = Foam unit in assembled 32 ECT corrugated box.





INSULATED MULTI-DEPTH FOAM SHIPPERS



EXPAND-EM[™] FOAM SHIPPERS

THERMO CHILL® ROUND BASE/SQUARE LID



EXPAND-EM[™] SERIES 8¼″ ROUND DIAMETER INTERIOR AND SQUARE INTERIOR TOP



The open top and bottom support diameter position and side refrigerant partitions allows full cold wrap with ICE-BRIX® Saddle Bag refrigerants.

Ideal for 6'' - 8'' round containers either cans or bottles. Round containers of temperature sensitive products stay in position while draped with a curtain of saddle bag ICE-BRIX[®] refrigerant or frozen dry ice.

- Mix and select your height 3 sizes creates 6 containers
- Versatile and saves money for customer mail orders
- Use with dry ice or refrigerant packs

FOAM ONLY	FOAM/ CARTON	INSIDE DIMENSIONS L x W x D	OUTSIDE DIMENSIONS L x W x D	WALL THICKNESS
XM7MF	ХМ7МС	8 ¼″ dia. x 5″	13″ x 11″ x 7½″	1¼″
XM8MF	XM8MC	8 ¼″ dia. x 8 ½″	13″ x 11″ x 11″	1¼″
XM9MF	ХМ9МС	8 ¼″ dia. x 12″	13″ x 11″ x 14 ½″	11/4″
XM10MF	XM10MC	8 ¼″ dia. x 13 ½″	13″ x 11″ x 16″	1¼″
XM11MF	XM11MC	8 ¼″ dia. x 17″	13″ x 11″ x 19½″	11/4″
XM12MF	XM12MC	8 ¼″ dia. x 22″	13″ x 11″ x 24 ½″	1¼″

THERMO CHILL® ROUND BASE AND LID



ICE-BRIX[®] SADDLE BAGS

- Reusable
- Recyclable



EXPAND-EM[™] SERIES 8¼″ ROUND DIAMETER INTERIOR BASE/LID



With side refrigerant partitions. Ideal for round containers either cans or bottles stay in position. Designed with side refrigerant compartment for cold packs or dry ice.

- 1¼" x 8¼" refrigerant chamber on two sides of product diameter
- Mix and select your height 3 sizes creates 6 containers
- Versatile and saves money for customer mail orders
- Use with dry ice or long refrigerant packs

FOAM ONLY	FOAM/ CARTON	INSIDE DIMENSIONS L x W x D	OUTSIDE DIMENSIONS L x W x D	WALL THICKNESS
XM7RF	XM7RC	8 ¼″ dia. x 5″	13″ x 11″ x 7 ½″	11/4″
XM8RF	XM8RC	8 ¼″ dia. x 8 ½″	13" x 11" x 11"	11⁄4″
XM9RF	XM9RC	8 ¼″ dia. x 12″	13″ x 11″ x 14 ½″	11/4″
XM10RF	XM10RC	8 ¼″ dia. x 13 ½″	13″ x 11″ x 16″	11/4″
XM11RF	XM11RC	8¼″ dia. x 17″	13″ x 11″ x 19½″	11/4″
XM12RF	XM12RC	8 ¼″ dia. x 22″	13″ x 11″ x 24 ½″	11⁄4″

- Ultimate in temperature uniform stability
- Refrigerant Saddle Bags control the entire stability process
- Maximum temperature sensitive protection for bulk transport of refrigerated or frozen products even under extreme ambient conditions for up to 6 days

PART #	ICE-BRIX [®] SADDLE BAG PALLET REFRIGERANTS	
SB10	8" x 34" 8 packs per length, in container cold wrap	

NESTABLE INSULATED CONTAINERS

THERMAL ASSURANCE

Thermo Chill® Nestable Shippers are engineered especially for stackability, excellent drop shock and improved internal product cooling. Ideal for 1-6 day transit time. They are lightweight, very durable and cost effective.

The nestable design saves space, doubles the quantity per truck in the same allotted warehouse space. It's a terrific benefit to your bottom line and storage concerns.

For extended shipping time, use convenient ICE-BRIX[®] new long size refrigerants or standard sizes to surround the product and across the top to maximize shipping time.

Delicate enough for tropical fish, live coral and strong enough for heavy 5 gallon plastic buckets of foods and liquids.

- Economical
- Light weight
- Space savers, storage and shipping
- Space reserved for refrigerants
- Unique design to extend Cold/Frozen ship time

FOAM	KD/	INTERIOR DIMENSIONS TOP: L x W x D	EXTERIOR DIMENSIONS	WALL
ONLY	CARTON	BOTTOM: L x W x D	L x W x D	THICKNESS
NS-3F	NS-3KD	7¾″ x 6¾″ x 5¾″	9¼″ x 8¼″ x 7¼″	2///
113-35	INS-SKD	6" x 5" x 5¾"	9 74 X O 74 X 7 74	3/4″
NS-5F	NS-5KD	8 ³ / ₄ " x 8 ³ / ₄ " x 6 ¹ / ₂ "	10¼″ x 10¼″ x 8¼″	3/4″
113-35	INS-SKD	7″ x 7″ x 6½″	10 % X 10 % X 8 %	74
NS-7F		14½″ x 14½″ x 16½″	173/// 173/// 101///	11⁄2″
IN3-7F	NS-7KD	11 ½″ x 11 ½″ x 16½″	17¾″ x 17¾″ x 19½″	
NS-9F	NS-9KD	15¾″ x 15¾″ x 17″	- 17¾" x 17¾" x 19½"	1″
142-26	IN2-AKD	12½″ x 12½″ x 17″		
NS-12F	NS-12KD	16″ x 9 ½″ x 7 ½″	- 17¾″ x 11¼″ x 9¼″	7/8″
	INS-12KD	14″ x 7½″ x 7½″		78
NS-15F		16″ x 12″ x 10 ½″	18″ x 14″ x 12¼″	7/8″
192-125	NS-15KD	14" x 10" x 10½"		
NS-16F	NS-16KD	16″ x 16″ x 7″	171/"171/"0"	7/ //
113-105	IND	14″ x 14″ x 7″	17 ¼″ x 17 ¼″ x 9″	7/8″
NS-20F		19½″ x 12½″ x 8″	21 1/ 1 4 1/ 1 0 1/	1″
1N3-20F	NS-20KD	17″ x 10″ x 8″	21 ½″ x 14 ½″ x 10 ½″	1″

F = "Foam Unit Only" container described above.

KD = Knock Down box shipped flat to save on freight costs.

We are your one-stop source for all your temperature packaging requirements. The leader in selection and stock for your most effective, consistent and custom shipping solutions, including immediate personal service.





INSULATED TOTES/SPACE SAVER KITS[™]

THERMO CHILL[®] REUSABLE PLASTIC INSULATED TOTES



These durable, ultra high impact, polyethelene totes are built to last and are insulated with thick polystyrene foam insert.

Durable Stackable

- Lightweight
- Reusable

Reusable plastic totes with EPS foam liner are ideal for distribution, and storage.

- Plastic tote or plastic tote with EPS foam insulated liners
- Textured bottom ensures non-slip grip in transit
- Handle grips on either side for easy carrying
- Tamper proof lid, designed for use with cable ties (see page 60)
- High density polyethylene
- Replaceable EPS foam insulated liners
- Available in Gray, Red or Blue



PLASTIC TOTES

PART #	OUTSIDE DIMENSIONS L x W x D	INSIDE DIMENSIONS L x W x D	part Weight		
HT22	19 ⁵ / ₈ ″ x 11 ³ / ₄ ″ x 7 ¹ / ₄ ″	16 ¹ / ₈ " x 8 ¹ / ₂ " x 6"	3.4 lbs.		
HT39	21 ¾″ x 15 ⅛″ x 9 ¾″	18" x 12%" x 8%"	4.1 lbs.		
HT47	21¾″ x 15⅛″ x 12⅛″	18 ¹ / ₈ " x 12 ¹ / ₄ " x 11 ³ / ₄ "	6.5 lbs.		

Add color suffix to part #: Gray = GY, Red = RD, Blue = BL

FOAM INSULATED LINERS FOR TOTES

PART #	OUTSIDE DIMENSIONS L x W x D	INSIDE DIMENSIONS L x W x D	THICKNESS
ON22F	17½″ x 19″ x 6″	14½″ x 16″ x 4½″	3⁄4″
242F	18″ x 12¼″ x 10¾″	15″ x 9¼″ x 7¾″	11⁄2″
ON39F	20″ x 14″ x 9″	16¼″ x 10½″ x 7¼″	7/8″
ON47F	20″ x 14″ x 11¾″	16¼″ x 10½″ x 10″	7/8″
252F	21" x 14" x 10¾"	17″ x 11″ x 6¾″	2″

Replacement EPS Foam lids available. Call for quote.

THERMO CHILL[®] SPACE SAVER KIT[™] INSULATED SHIPPERS



The Space Saver Kit[™] Series stores flat and are easy to assemble when needed – just pack and ship.

Space Saver Kit[™] Series Insulated Containers consist of a 32 ECT corrugated carton (printed legend reads "up arrows" orientation with 'Rush' and 'Perishable'), 6 EPS panels (top and bottom plus 4 sides), with a poly bag liner.

Custom corrugated cartons and sizes can be made upon request. We can fit your existing corrugated carton, please call for more details.

PART #	DIMENSIONS L x W x D	THICKNESS	CORRUGATE OUTSIDE DIMENSIONS L x W x D
RC209	9″ x 7″ x 10″	1″	11 1/8" x 9 1/8" x 12 3/16"
RC200	12″ x 12″ x 12″	1″	14" x 14" x 14"
RC261	20″ x 13″ x 13 ½″	1″	22 3/8" x 15 7/16" x 15 11/16"
RC247	23 ½″ x 20 ½″ x 11½″	11⁄2″	26 ½" x 23 ½" x 14 ½"

NEW LABELS



NEW LABELS AND NEW LOW COST. Starting on page 44. A MUST SEE IF YOU USE LABELS.




INSULATED BOX LINERS

THERM-O-CHILL[™] COOL STUFF[™] offers a variety of eco-friendly, certified biodegradable, thermal protective package liners and mailers. Insulated padding is a purified, recycled textile fiber, processed with super-absorbent fiber with an EPA-excepted antimicrobial additive for condensate and spill containment. Durable biodegradable film is used to enclose insulated padding. COOL STUFF[™] thermal box liners and mailer safely protects temperature sensitive products, and simple to use.

Certified biodegradable as per ASTM 5511; ASTM 5D209-91; ASTM D5338.98

- User-friendly
- Superior-Insulating Protective Padding
- ASTM Certified Bio-Degradable

COOL STUFF[™] BOX LINERS CAN BE CUSTOMIZED TO FIT ANY BOX OR CARTON SIZE.



Quickly convert any stock box into an effective biodegradable earth friendly thermal insulated shipper.

- Provides up to 4 days protection.
- Available in two thicknesses.
- Space saving Cool Stuff[™] liners store flat.
- Biodegradable earth friendly materials.
- Use with ICE-BRIX[®] cold packs for up to 4 days shipping.

1" 2-4 DAY COOL STUFF[™] BIODEGRADABLE INSULATED SHIPPER (ULTRA/MEDIUM DUTY) Add 2" for outside measurement.

PART #	INSIDE DIMENSIONS L x W x H	QUANTITY PER CASE	USE WITH STOCK BOX
166	4" x 2" x 1 ½"	10	KD644
167	4" x 4" x 4"	10	KD666
168	6″ x 6″ x 6″	10	KD888
169	8″ x 6″ x 4″	10	KD1086
177	8″ x 8″ x 8″	5	KD101010
178	10" x 8" x 8"	5	KD121010
179	12" x 12" x 12"	5	KD141414
183	20" x 14" x 14"	4	KD221616

1/2" 1-2 DAY COOL STUFF[™] BIODEGRADABLE INSULATED SHIPPER (MEDIUM DUTY) Add 1" for outside measurement.

PART #	INSIDE DIMENSIONS L x W x H	QUANTITY PER CASE	USE WITH STOCK BOX
158	7" × 5" × 4"	10	KD865
159	7″ × 7″ × 7″	10	KD888
160	9″ x 9″ x 9″	10	KD101010
161	11″ x 9″ x 7″	10	KD12109
162	11″ x 11″ x 11″	5	KD121212
163	13″ x 11″ x 11″	5	KD141414
164	15" x 15" x 15"	5	KD161616
165	23" x 17" x 17"	4	KD241818

COOL STUFF[™] BOX LINERS





INSULATED MAILERS

COOL STUFF[™] MAILERS

EXTRA PROTECTION - SUPERIOR DUTY



EZ SIDE LOAD COOL STUFF[™] MAILERS



COOL STUFF[™] MAILERS

VALUE PERFORMANCE - INTERMEDIATE DUTY



EZ SIDE LOAD COOL STUFF[™] MAILERS



Cool Stuff[™] Mailers provide superior duty, longer term shipping, thermal safe protection for pharmaceuticals, specimens and other refrigerated or frozen products.

END LOAD opens on the short end for product loading.

EZ SIDE LOAD opens on the long end for convenient product loading; holds more product.

- Biodegradable Earth friendly
- 1" effective moisture and thermal barrier
- Dual self seal closure.
- 1" fiber insulation safely cushions and thermally protects contents.



FOR BOX PROTECTION USE SELF-SEAL BOXES ON PAGE 56.

PART #	OUTSIDE DIMENSIONS W x L	THICKNESS	QUANTITY PER CASE	USE WITH STOCK BOX
	END LOAD COOL STUFF [™] MAILERS			
105	9″ x 11″	1″	18	KD10212SL
106	12″ x 14″	1″	18	N/A
107	14″ x 18″	1″	12	N/A
	EZ SIDE LOAD COOL STUFF [™] MAILERS			
184	9″ x 11″	1″	18	KD10212SL
185	12″ x 14″	1″	18	N/A
186	14″ x 18″	1″	12	N/A

Cool Stuff[™] Mailers provide intermediate duty, longer term shipping, thermal safe protection for pharmaceuticals, specimens and other refrigerated or frozen products.

END LOAD opens on the short end for product loading.

EZ SIDE LOAD opens on the long end for convenient product loading; holds more product.

- Biodegradable Earth friendly
- 1/2" effective moisture and thermal barrier
- Dual self seal closure, thermal effective and tamper resistant mailer.
- 1/2" fiber insulation safely cushions and thermally protects contents.

PART #	OUTSIDE DIMENSIONS W x L	THICKNESS	QUANTITY PER CASE	USE WITH STOCK BOX
	END LOAD COOL STUFF [™] MAILERS			
187	9″ x 11″	1/2″	18	KD10212SL
188	12" x 14"	1⁄2″	18	N/A
189	14" x 18"	1⁄2″	12	N/A
	EZ SIDE LOAD COOL STUFF [™] MAILERS			
192	9″ x 11″	1/2″	18	KD10212SL
193	12" x 14"	1⁄2″	18	N/A
194	14″ x 18″	1⁄2″	12	N/A

INSULATED BOX LINERS AND MAILERS

Quickly convert any stock box into an economical reflective thermal insulated shipper.

- Provides overnight protection of pharmaceuticals, refrigerated items.
- Space saving liners stores flat (Light Duty).
- Leak resistant

specimens and other items.

PART #

114

115

116

117

121

122

• Effective moisture and reflective barrier

• Use with ICE-BRIX® cold packs for extended shipping.

PART #	INSIDE DIMENSIONS L x W x H	QUANTITY PER CASE	USE WITH STOCK BOX
123	8″ × 6″ × 5″	50	KD865
125	8″ × 8″ × 8″	50	KD888
126	10" x 10" x 10"	50	KD101010
127	12″ x 10″ x 9″	50	KD12109
129	12″ x 12″ x 12″	50	KD121212
139	14" x 12" x 12"	50	KD141414
156	16″ x 16″ x 16″	50	KD161616
157	24" x 18" x 18"	50	KD241818

Reflective thermal protection for economical short term shipping of pharmaceuticals,

QUANTITY

PER CASE

100

100

100

50

50

50

• 3/16" metalized laminated bubble cushions and protects contents.

INSIDE DIMENSIONS

WxL

6" x 6½"

61/2" x 101/2"

8" x 11"

11" x 15"

12" x 18"

15" x 17"

COOL BARRIER BUBBLE



COOL BARRIER BUBBLE ECONOMY NEXT DAY

NEW • Use with ICE-BRIX[®] leak proof refrigerants for extended cold protection **USE WITH** STOCK BOX N/A N/A KD101212SL KD11315SL KD12317SL N/A

> FOR BOX PROTECTION USE SELF-SEAL BOXES ON PAGE 56.

TELL CARRIERS HOW TO HANDLE YOUR SHIPMENTS.


CAUTION & HANDLING LABELS, starting on page 44.



TAPE AND SEAL PACKAGES SECURELY WITH ASSURANCE, see page 64-66.



ECONOMICAL SHIPMENT OF BLOOD, SERUMS, CULTURES, URINE AND OTHER LABORATORY SPECIMENS FOR SEROLOGY AND HISTOPATHOLOGY.



LAB TUBE MAILERS



LAB TUBE MAILERS

LAB TUBE PART #	HOLDS TUBES	HOLDS SLIDES	TUBE VOLUME		TUBE CAVITY DIMENSIONS	MAILER BOX PART #
730	1	N/A	3, 5, 7, 10 ml	Diameter: 10.25 – 16 mm Length: 75 to 103 mm	110 x 16 mm	90
770	1	N/A	3, 5, 7, 10 ml	Diameter: 10.25 – 16 mm Length: 75 to 103 mm w/compartment	110 x 16 mm	89
727	2	2	3, 5, 7, 10 ml	Diameter: 10.25 – 16 mm Length: 75 to 103 mm	107 x 16 mm	89
725	3	N/A	3, 5, 7, 10 ml	Diameter: 10.25 – 16 mm Length: 75 to 103 mm	105 x 17 mm	88
773	3	N/A	3, 5, 7, 10 ml	Diameter: 10.25 – 16 mm Length: 75 to 103 mm	108 x 17 mm	89
726	3	N/A	3, 5, 7, 10 ml	Diameter: 10.25 – 16 mm Length: 75 to 103 mm	113 x 18 mm	89
724	4	8	3, 5, 7, 10 ml	Diameter: 10.25 – 16 mm Length: 75 to 100 mm	105 x 19 mm	92
723	5	N/A	3, 5 ml	Diameter: 10.25 – 13 mm Length: 75 to 103 mm	106 x 13 mm	88
775	5	N/A	3, 5, 7, 10 ml	Diameter: 10.25 – 16 mm Length: 75 to 103 mm	108 x 17 mm	88
765	5	N/A	3, 5, 7, 10 ml	Diameter: 10.25 – 16 mm Length: 75 to 150 mm	170 x 16 mm	93
721	8	8	3, 5, 7, 10 ml	Diameter: 10.25 – 16 mm Length: 75 to 103 mm	113 x 18 mm	94
722	8	N/A	3, <i>5, 7</i> , 10 ml	Diameter: 10.25 – 16 mm Length: 75 to 103 mm	113 x 18 mm	95
729	N/A	10	N/A	N/A	N/A	

DIAGNOSTIC TUBE MAILERS

DIAGNOSTIC SPECIMEN TUBE MAILING/SHIPPING SYSTEM



• Foam tube mailers/shippers and packaging accessory components are available for customer/distributors, furnishing certified primary receptacle tubes.

REPLACEMENT COMPONENTS UPON REQUEST

PART #	HOLDS	KIT INCLUDES	OUTSIDE DIMENSIONS L x W x D (INCHES)	QTY PER CASE
726KIT	Three 7-10 mil tubes	Specimen tubes, foam mailer, absorbent material, waterproof tape, corrugated shipping carton, zipper lock poly bag and instruction sheets	5%″ x 4″ x 2″	33
722KIT	Eight 7-10 mil tubes	Specimen tubes, foam mailer, absorbent material, waterproof tape, corrugated shipping carton, zipper lock poly bag and instruction sheets	10½″ x 55%″ x 3″	50

DIAGNOSTIC SPECIMEN KITS (NO TUBES)

PART #	HOLDS	KIT INCLUDES	OUTSIDE DIMENSIONS L x W x D (INCHES)	QTY PER CASE
726DIAG	Three 7-10 mil tubes	Foam mailer, absorbent material, waterproof tape, corrugated shipping carton, zipper lock poly bag and instruction sheets	5%″ x 4″ x 2″	33
722DIAG	Eight 7-10 mil tubes	Foam mailer, absorbent material, waterproof tape, corrugated shipping carton, zipper lock poly bag and instruction sheets	10½″ x 5%″ x 3″	50

SPECIALIZED LAB MAILERS



]	SPEC	ALIZED	LAB	MAILERS

- Maximum breakage protection packaging for non-hazardous laboratory specimens. Ideal for biological, research, environmental, and public health laboratories.
- Accommodates specialize lab containers and many collection bottles, vials, petri dishes and cans
- Glue dots[®], keeps lab sample containers in position
- Reusable and recyclable

PART #	HOLDS	CAVITY DIMENSIONS (INCHES)	BOX PART #
701	Six 5 – 30ml vials	Six 1 ⁵ %" dia. x 2 ¼" ht.	80
778	Specimens, vials, swabs, tubes	5 ⁷ / ₈ " x 1 ¹ / ₂ " x 1 ¹ / ₂ "	778KD
763	Mil Spec Lab Mailer: Cans, screw-cap, vials, swabs, tubes, air filter cartridge, syringes	10" x 2¾" x 2¾"	81
702	2 oz.	4″ x 1½″ x 4″	700
704	4 oz. bottle or French square bottle	5 ¼″ x 2″ x 2 ¼″	705KD
718	1 or 2 petri dishes	4" x 1½" x 4"	82
767	14 standard petri dishes	8¾" x 3 ⁷ %" x 3 ⁷ %"	83
201	Vials, tubes, small bottles, cups, tissue flasks. Optional foam pads.	6" x 4½" x 3"	290
728	Expand-Em Bio Mailer	4" x 3 ½" x 1¼"	84
733	Expand-Em Bio Mailer 100 ml sample containers, 4 oz. urine cup	4" x 3 ½" x 2 %"	98
734	Expand-Em Bio Mailer Vials, tubes, small bottles, cups, tissue flasks. Optional foam pads.	4" x 3 ½" x 4"	99
211	Tubes, vials, ampules, collection bottles	6 1⁄2" Dia. x 4"	211KD
727	Contact lenses or 5 – 10 vials	7⁄8″ Dia. x 3″	87
706	NEW Collection canister, urine cup	5 ⁷ / ₈ " x 3 ⁷ / ₈ " x 2 ⁷ / ₈ "	706KD
719	NEW Mil Spec Mailer	8″ x 2 ¼″ x 1 ¾″	86

LAB MAILER INSERTS AND MAILERS



CUSHION AND CUSTOMIZE YOUR PRODUCT TO MEET YOUR LABORATORY NEEDS.

211C – Bio-specimen mailer/shipper – Safely packs over 40 specimen tubes, petri dishes, vials or ampules and assorted swabs, with space for ICE-BRIX[®] refrigerant. 1 in" thick walls, assuring long temperature retention. Comes in an assembled 200# test corrugated box. ICE-BRIX[®] controls the interior temperature during transit.

201F - Compact Mailer – Foam container ships frozen or dry iced products comfortably for several days. Features include a chest style base with lid. Packs small bottles, vials and tubes. Small products are easy to pack and unpack safely. 1" thick foam walls shipper/mailer. Product 201C is the compact foam mailer unit in an assembled 200# test corrugated box.

290 KD - White Mailer Sleeve - Fits 201F.

207 WIC – 40ml Vial shipper – $1\frac{1}{2}^{"}$ protective EPS foam insulated shipper – Secures up to 12 with a 28mm diameter. Includes re-useable polyethylene insert and one 24oz. ICE-BRIX® refrigerant pack to maintain sample temperatures. Vial shipper comes assembled in a 200# corrugated box.

201 VIC - Temperature Controlled (4) four tube mailer – One (1) inch protective foam insulated shipper includes a polyethylene (4) four cavity specimen tube insert. Holds (3-10ml) tubes, cavity size 105mm x 17mm. One each 8 oz. ICE-BRIX[®] refrigerant pack to control and stabilize specimen temperatures. Unit also includes an absorbent pad with a 2 mil thick polyethylene bag and twist tie closure. 200# test corrugated box included.

201 IE – Tube / Vial insert pad

201 GPP - General purpose convoluted foam pad

201 ETP - Eye Tissue insert pad

207 I E – 40ml (12 cavity) insert pad

Inquire about other custom insert pads...

STURDY FIBERBOARD AND CORRUGATED MAILERS

Sturdy white paperboard mailer boxes enhance the protective effectiveness of the foam tube mailers. All paperboard mailers are plain. Available upon request, custom print with lab name, address, postal permit number and any other handling message.

MAILER BOX PART #	FITS FOAM PART #	BOXES PER CASE
90	730 (1 tube)	300
89	727 (2 tubes)	300
88	725 (3, 1 tubes)	250
91	726 (3, 1 tubes, deep)	300
92	724 (4 tubes)	200
93	723 (5 tubes)	200
94	721 (8 tubes)	200
290	201 (Compact lab mailer) 6 ¹⁷ /32" x 5 ¹ /32" x 8 ¹ /8"	125
700	2 oz. Boston round mailer	200
86	719 (Mil spec mailer)	250

ICE BATH/CARRYING STRAP/SPECIMEN TRANSPORT BAGS

This durable Thermo Chill[®] insulated utility container is manufactured to be tough and built to last. This double-wall, ultra high impact, polyethelene container is insulated with thick polyurethane foam assuring maximum cold retention.

- Dry ice or wet ice storage systems
- Packaging station storage systems
- Laboratory testing chamber
- Cryogenic application systems



ECONOMICAL ICE BATH

FOAM ONLY	FOAM/CARTON	INSIDE DIMENSIONS L x W x D (INCHES)
260F	260C	19 ½″ x 11½″ x 4 ½″

Carrying straps are ideal for transporting containers.

- Durable nylon straps are adjustable with a nylon clip closure
- Carry 2 insulated carriers using one strap
- Comfortable hand straps

PART #	DESCRIPTION		
306	Strap only		
260 KIT	Strap and 2 each #260F 1½" thick foam containers inside dimension 19½" x 11½" x 4 ½"		
ON55 KIT	Strap and 2 each #ON55 ¾" thick foam containers inside dimension 20 ½" x 12 ½" x 5 ⅛"		

CARRYING STRAPS



OSHA standard biohazard transport specimen bags with separate pocket for related paperwork. This pocket provides protection from leakage of contents to paperwork and personnel simultaneously. These bags are available with or without print. Available bag closures include, zipper closure bags for repeated access.

PRINTED BAGS WITH BIOHAZARD LOGO

PART #	SPECIMEN BAGS	N BAGS SIZE W x L	
533	2 Mil with pocket zipper	6″ x 6″	14.3 lbs.
536	2 Mil with pocket zipper	6" x 9"	12.2 lbs.
534	2 Mil with pocket zipper	6" x 9"	15.6 lbs.
535	2 Mil with pocket zipper	8" x 10"	20.8 lbs.

PLAIN BAGS NO PRINTING (NOT SHOWN)

PART #	SPECIMEN BAGS	SIZE W x L	WT. PER 1M
538	2 Mil with pocket zipper	6″ x 6″	14.3 lbs.
539	2 Mil with pocket zipper	6″ x 9″	15.6 lbs.
540	2 Mil with pocket zipper	8″ x 10″	20.8 lbs.

LOC-TOP SPECIMEN TRANSPORT BAGS



CAN SHIPPERS (NON-HAZARDOUS LIQUIDS)





1031 QUART FOAM CAN CAP



1029 GALLON FOAM CAN CAP

CAN SHIPPERS

Can Foam Caps are ideal to prevent shock and impact damage when shipping canned items. Fits large #10 or gallon cans, also the new convenient #2 shippers.

- Drop safe
- Safe shipment of fragile containers
- Great presentation

BOXES - 275#/ECT-44

PART #	INSIDE DIMENSIONS L x W x H	DESCRIPTION	QTY BUNDLE /BALE	WEIGHT BUNDLE
KD1013PL	5¾" x 5¾" x 6¾"	1 qt./plain up arrow	25/375	21 lbs.
KD1014PL	10 ³ ⁄4″ x 5 ³ ⁄8″ x 6 ³ ⁄8″	2-1 qt./plain up arrow	25/375	31 lbs.
KD1015PL	10 %" x 10 %" x 6 %"	4-1 qt./plain up arrow	25/750	19 lbs.
KD1016PL	8 %16" x 8 %16" x 10 1/8"	1 gal./plain up arrow	25/750	17 lbs.
KD1017PL	17 1/8" x 8 %16" x 10 1/8"	2–1 gal./plain up arrow	25/500	25 lbs.
KD1018PL	17 1/16" x 17 1/16" x 10 1/8"	4-1 gal./plain up arrow	25/250	47 lbs.

FOAM CAN CAP


PART #	DESCRIPTION	QUANTITY PER BUNDLE
1031	1 Quart Round	125 SETS
1029	1 Gallon Round	50 SETS

BOTTLE SHIPPERS (NON-HAZARDOUS LIQUIDS)



Shipper is responsible for selecting appropriate packaging for use with contents. Consult appropriate regulations.

Polar Tech's complete protective bottle selection totally encapsulates bottles and contents for



maximum protection during the shipping cycle.

PART #	TOP / SIDE	BOTTLE SIZE (OUNCES)	VOLUME
702	S	2 oz.	60 ml
704	S	4 oz.	125 ml
708	T/S	1/2 Pint (8 oz.)	250 ml
716	T/S	0.5 Liter (16.9 oz.)	500 ml
732	T/S	Quart (32 oz.)	1,000 ml
733	Т	Liter (33.8 oz.)	1,000 ml
780	Т	2.5 Liter (84 oz.)	2,500 ml
784	Т	2.5 Liter – 4 pack (84 oz.)	4 x 2,500 ml
790	Т	Gallon (128 oz.)	3 <i>,</i> 785 ml
792	Т	Pharmaceutical Gallon	128 oz.
761	т	0.5 Liter – 6 pack (16.9 oz.)	6 x 500 ml
NS7	Т	5 Gallon bucket	N/A

SAFEWAY[™] SERIES BOTTLE SHIPPERS

- Economical EPS foam shippers for non-hazardous liquids
- Maximum protection from breakage, excellent shock absorbency, holds bottles secure during shipping
- Two piece molded construction with interlock seams, fit top and bottom sections for a tight seal and tape together in the pre-formed tape grooves.
- Laboratory tested and accepted for use by UPS and common carriers
- Full selection accommodates most all styles of bottles
- Reusable and recyclable

HAZARDOUS MATERIALS PAINT CAN FOAM SHIPPER **KITS**



EVERYTHING YOU NEED IN A CONVENIENT KIT!

- UN/USA D.O.T. APPROVED CONTAINERS
- Accepted and recommended by major freight carriers

In accordance with CFR 49 178.601B shipper is responsible for choosing the

 Includes: pre-assembled carton, paint can with lid, foam inserts and a locking ring

correct packaging for product and for final closure. CONSULT APPROPRIATE REGULATIONS. INSIDE QTY UN PART # DIMENSIONS HOLDS MATERIAL PER NUMBER L x W x D (INCHES) CASE 1-1 Quart HAZ1036 5³/₈" x 5³/₈" x 6³/₈" 275#/ECT-44 4G/Y1.8/S 48 Paint Can 2-1 Quart 275#/ECT-44 HAZ1037 10³/₄" x 5³/₈" x 6³/₈" 4G/Y3.5/S 24 Paint Cans 4-1 Quart HAZ1038 10%" x 10%" x 6%" 275#/ECT-44 4G/Y7/S 12 Paint Cans 1-1 Gallon HAZ1039 8%16" x 8%16" x 101%" 275#/ECT-44 4G/Y6.8/S 32 Paint Can 2-1 Gallon

Paint Cans 4-1 Gallon

Paint Cans

275#/ECT-44 4G/Y13.4/S

275#/ECT-44 4G/Y26.8/S

6

3

HAZARDOUS MATERIALS **F-STYLE CAN FOAM SHIPPER KITS**



THE INDUSTRY STANDARD FOR SHIPPING SOLVENTS, THINNERS **AND PAINTS!**

UN/USA D.O.T. APPROVED CONTAINERS

17 1/8" x 8 %16" x 10 1/8"

17 1/16" x 17 1/16" x 10 1/8"

HAZ1040

HAZ1041

- Accepted by domestic and international carriers
- Includes: pre-assembled carton, F-style can with cap and foam inserts

In accordance with CFR 49 178.601B shipper is responsible for choosing the correct packaging for product and for final closure. CONSULT APPROPRIATE **REGULATIONS.**

PART #	INSIDE DIMENSIONS L x W x D (INCHES)	HOLDS	MATERIAL	UN NUMBER	QTY PER CASE
HAZ1042	85%" x 513%" x 123%"	1-1 Gallon F-Style Can	275#/ECT-44	4G/Y6.7/S	32
HAZ1043	11%" x 8 516" x 123%"	2-1 Gallon F-Style Cans	275#/ECT-44	4G/Y13.3/S	16
HAZ1044	16 1/16" x 117/16" x 12%"	4-1 Gallon F-Style Cans	275#/ECT-44	4G/Y26.5/S	8

CAN SHIPPERS (HAZARDOUS LIQUIDS)

BULK SUPPLIES FOR FOAM SHIPPER KITS

- Convenient bulk purchases
- Save space
- Store compact and flat
- Maximum protective packaging

BULK SHIPPING BOXES - MATERIAL 275#/ECT-44

PART #	INSIDE DIMENSIONS L x W x D (INCHES)	HOLDS	UN NUMBER	BUNDLE QTY
HAZ1013	5¾" x 5¾" x 6¾"	1 -1 Quart Paint Can	4G/Y1.8/S	25
HAZ1014	10¾″ x 5¾″ x 6¾″	2 -1 Quart Paint Cans	4G/Y3.5/S	25
HAZ1015	10%" x 10%" x 6%"	4 -1 Quart Paint Cans	4G/Y7/S	25
HAZ1016	8%16" x 8%16" x 10 1/8"	1 -1 Gallon Paint Can	4G/Y6.8/S	25
HAZ1017	17 1/8" x 8 %16" x 10 1/8"	2 -1 Gallon Paint Cans	4G/Y13.4/S	25
HAZ1018	17 1/16" x 17 1/16" x 10 1/8"	4 -1 Gallon Paint Cans	4G/Y26.8/S	10
HAZ1019	8 5/16" x 5 ¹ 3/16" x 12 3/8"	1 -1 Gallon F-Style Can	4G/Y6.7/S	20
HAZ1020	11%" x 8 5/16" x 12%"	2 -1 Gallon F-Style Cans	4G/Y13.3/S	20
HAZ1021	16 ¹ /8″ x 11 ⁷ /16″ x 12 ³ /8″	4 -1 Gallon F-Style Cans	4G/Y26.5/S	10

HAZARDOUS MATERIALS BULK SUPPLIES FOR FOAM SHIPPER KITS



CANS, INSERTS AND RINGS



PART #	SIZE	STYLE	QTY PER CASE
HAZ1025	1 Quart	Paint Can	36
HAZ1026	1 Gallon	Paint Can	36
HAZ1027	1 Gallon	F-Style Can	40

BULK FOAM INSERTS

PART #	SIZE	STYLE	QTY PER CASE
HAZ1031	1 Quart	Paint Can	125 SETS
HAZ1029	1 Gallon	Paint Can	50 SETS
HAZ1030	1 Gallon	F-Style Can	80 SETS

BULK LOCKING RINGS

PART #	SIZE	STYLE	QTY PER CASE
HAZ1034	1 Quart	Paint Can	100
HAZ1035	1 Gallon	Paint Can	100



BOTTLE SHIPPERS (HAZARDOUS LIQUIDS)



The shipper is ultimately responsible for determining the suitability of packaging for use with contents. Consult appropriate regulations.

- Packaging instructions are printed on the carton.
- Amber glass bottles with Teflon lined screw caps.
- Bottles in Kit 761UN are safety coated.
- Polar Tech's complete protective bottle selection totally encapsulates bottles and contents for maximum protection during the shipping cycle.
- Kits do not include poly bags twist ties or absorbents.



Poly bags, twist ties or absorbents are also available. These are not required for UN compliance.

SAFEWAY[™] SERIES UN & DOT COMPLIANCE BOTTLE SHIPPERS

- Certified to meet United Nations and Dept. of Transportation requirements for shipping and transporting dangerous liquids. (excluding class 6.2 infectious substance and class 7 radioactive materials)
- Comes complete, Pre-assembled certified packaging all components included for shipping hazardous materials.
- Certified bottle shippers include EPS foam bottle over packs, heavy duty corrugated shipping cartons and glass bottles with Teflon[®] lined screw caps. Packaging instructions are printed on the carton..
- In compliance with UN/D.O.T. regulations governing shipments of hazardous materials in these certified approved bottle shippers is contingent on the use of all supplied components.

DADT #	BOTTLE SIZE	BOTTLE VOLUME F		PKG	SPECIFIC	UN	APPROX. OUTSIDE	
PART #		OUNCES	ML	GROUP	GRAVITY	NUMBER	DIMENSIONS	
716UN	0.5 Liter	16.9	500	I	2.0	4G/X1.4/S	5½" x 5¾" x 11¾"	
732UN	Quart	32	0.95	T	2.0	4G/X2.6/S	6 ¼″ x 6 ⅛″ x 12 ½″	
733UN	Liter	33.8	1,000	I	2.0	4G/X2.8/S	6 ¼″ x 6 ⅛″ x 12 ½″	
780UN	2.5 Liter	84	2,500	I	2.0	4G/X6.6/S	7%″ x 7%″ x 161%″	
784UN	2.5 Liter	4 x 84	4 x 2,500	I	1.8	4G/X23.5/S	14¾″ x 14¼″ x 15½″	
790UN	Gallon	128	3,785	I	2.0	4G/X9.7/S	10 %" x 10 ½" x 18"	
792UN	4 Liter	135.3	4,000	I	2.0	4G/X10.2/S	10 %″ x 10 ½″ x 18″	
761UN*	Liter	6 x 33.8	6 x 1,00	П	1.0	4G/Y11.2/S	14¼″ x 10″ x 11¾″	

* Bottles in Kit 761UN are safety coated.

CATEGORY A INFECTIOUS SUBSTANCES

CATEGORY A INFECTIOUS SUBSTANCES

Packaging for Category A infectious substances must be certified by an independent laboratory as meeting the applicable triple packaging regulations of IATA (for air shipments) and DOT (for domestic ground shipments). In general, the required triple packaging includes: leak-proof 95 kPa primary receptacle(s); leak-proof 95 kPa (14psi) secondary packaging; absorbent material of sufficient quantity to absorb the entire contents of the primary receptacle(s); an itemized list of contents; and a properly labeled shipping carton.

Polar Tech offers a broad array of certified packaging Models for use in transporting Category A infectious substances. The Models shown on this page will accommodate a wide range of primary receptacles. Select the Model (under Ambient, Cool or Frozen) that meets your requirements.

NOTE: The Models shown on this page are the most popular. If one of these Models does not meet your criteria, contact us for information about other available Models.



PART # ACO6 CATEGORY A INFECTIOUS SUBSTANCE - COLD



Thermo Chill[®] Durable Nylon Medical Transport Bag with removable inner partition are convenient for on-site collection and transport of specimens, blood, medications and other temperature sensitive items.

- Washable and easy to clean
- 2 compartment, with removable partition
- Zipper lock closure
- Printed with standard biohazard symbol
- Net mesh lid compartment for papers or use with ICE-BRIX® cold pack

PART #	INSIDE DIMENSIONS L x W x D	OUTSIDE DIMENSIONS L x W x D
1700	10¼″ x 7¼″ x 8″	10¾″ x 7¾″ x 8½″

MEDICAL TRANSPORT BAG



CATEGORY B BIOLOGICAL SUBSTANCES



PART # BA06 CATEGORY B BIOLOGICAL SUBSTANCES - AMBIENT

The Model shown is sized to accommodate up to: 6 or 12 15ml vials (16mm x 125mm maximum size); 3 or 6 standard petri dishes (3.5" x ¾"); 15 or 30 swabs (7" maximum length); or 4 or 8 jars (jar dimensions of 2" diameter x 3" height).

CATEGORY B BIOLOGICAL SUBSTANCES

Packaging for substances in this Category must meet the triple packaging regulations of IATA (for air shipments) and DOT (for domestic ground shipments). In general, the required triple packaging includes: leak-proof primary receptacle(s); leak-proof 95 kPa (14psi) secondary packaging; absorbent material of sufficient quantity to absorb the entire contents of the primary receptacle(s); and a properly labeled outer shipping carton.

Polar Tech offers a broad diversity of complete packaging systems (Models) all of which meet the most stringent regulatory requirements for shipping Category B biological substances. Each Model will protect your specimen from damage during shipment and will maintain the required temperature for any specimen which is temperature sensitive.

Select the Model (under Ambient, Cool or Frozen) that meets your size and temperature requirements.

NOTE: The Models shown on this page are the most popular. If one of these Models does not meet your criteria, contact us for information about other available Models.



PART # BC06 CATEGORY B BIOLOGICAL SUBSTANCES - COLD


The Model shown is sized to accommodate up to: 6 or 12 15ml vials (16mm x 125mm maximum size); 3 or 6 standard petri dishes (3.5" x 5%"); 15 or 30 swabs (7" maximum length); or 4 or 8 jars (jar dimensions of 2" diameter x 3" height).



PART # BF12 CATEGORY B BIOLOGICAL SUBSTANCES – FROZEN The Model shown is sized to accommodate up to: 6 or 12 15ml vials (16mm x 125mm maximum size); 3 or 6 standard petri dishes (3.5" x ¾"); 15 or 30 swabs (7" maximum length); or 4 or 8 jars (jar dimensions of 2" diameter x 3" height).

FOR A COMPLETE LISTING OF LABELS, STARTING ON PAGE 44





HML628 - 6" x 6"



BMH527 - 3½" x 4"

BMH314 - 3" x 2"

EXEMPT HUMAN SPECIMEN

EXEMPT HUMAN SPECIMEN

If there is a minimal likelihood that active pathogens are present in a specimen, that specimen can be shipped as an Exempt Human Specimen and the regulations applicable to infectious substance shipments are not applicable. Examples of routine tests that are considered exempt are: blood or urine tests for drugs, alcohol, cholesterol levels, glucose levels, hormone levels and/or prostate specific antigens; tests to monitor organ functions; therapeutic drug monitoring tests; pregnancy tests; and biopsies for cancer.

Polar Tech offers many Exempt Human shipping Models all of which will protect your specimen from damage during shipment and will maintain the required temperature for any specimen that is temperature sensitive.

Select the Model (under Ambient, Cool or Frozen) that meets your size and temperature requirements.

NOTE: The Models shown on this page are the most popular. If one of these Models does not meet your criteria, contact us for information about other available Models.

> EXEMPT HUMAN SPECIMEN

PART # EHC12

EXEMPT HUMAN SPECIMEN - COLD

6 or 12 15ml vials (16mm x 125mm maximum size);

4 or 8 jars (jar dimensions of 2" diameter x 3" height).

The Model shown is sized to accommodate up to:

3 or 6 standard petri dishes (3.5" x 5/8");

15 or 30 swabs (7" maximum length); or



PART # EHF12 EXEMPT HUMAN SPECIMEN - FROZEN

The Model shown is sized to accommodate up to: 6 or 12 15ml vials (16mm x 125mm maximum size); 3 or 6 standard petri dishes (3.5" x ½"); 15 or 30 swabs (7" maximum length); or 4 or 8 jars (jar dimensions of 2" diameter x 3" height).



PART # EHA06 EXEMPT HUMAN SPECIMEN - AMBIENT

The Model shown is sized to accommodate up to: 6 or 12 15ml vials (16mm x 125mm maximum size); 3 or 6 standard petri dishes (3.5" x 5%"); 15 or 30 swabs (7" maximum length); or 4 or 8 jars (jar dimensions of 2" diameter x 3" height).

FOR A COMPLETE LISTING OF LABELS, STARTING ON PAGE 44

EXEMPT HUMAN SPECIMEN



BMH311 - 31/2" x 1"



```
BMH313 - 2" x <sup>7</sup>/<sub>8</sub>"
```



EXEMPT ANIMAL SPECIMEN



PART # EAF12 **EXEMPT ANIMAL SPECIMEN – FROZEN**

The Model shown is sized to accommodate up to: 6 or 12 15ml vials (16mm x 125mm maximum size); 3 or 6 standard petri dishes (3.5" x 5%"); 15 or 30 swabs (7" maximum length); or 4 or 8 jars (jar dimensions of 2" diameter x 3" height).



EXEMPT ANIMAL SPECIMEN

There is a minimal likelihood that active pathogens are present in a specimen, that specimen can be shipped as an Exempt Animal Specimen and the regulations applicable to infectious substance shipments are not applicable. Examples of routine tests that are considered exempt are: blood tests for hormone levels; most urine tests; tests to monitor organ functions; therapeutic drug monitoring tests; pregnancy tests; and biopsies for cancer.

Polar Tech offers many Exempt Animal shipping Models all of which will protect your specimen from damage during shipment and will maintain the required temperature for any specimen that is temperature sensitive.

Select the Model (under Ambient, Cool or Frozen) that meets your size and temperature requirements.

NOTE: The Models shown on this page are the most popular. If one of these Models does not meet your criteria, contact us for information about other available Models.



PART # EAA06 **EXEMPT ANIMAL SPECIMEN – AMBIENT**

The Model is sized to accommodate up to: 6 or 12 15ml vials (16mm x 125mm maximum size); 3 or 6 standard petri dishes (3.5" x 5%"); 15 or 30 swabs (7" maximum length); or 4 or 8 jars (jar dimensions of 2" diameter x 3" height).

PART # EAC12 **EXEMPT ANIMAL SPECIMEN - COLD**

The Model is sized to accommodate up to: 6 or 12 15ml vials (16mm x 125mm maximum size); 3 or 6 standard petri dishes (3.5" x 5%"); 15 or 30 swabs (7" maximum length); or 4 or 8 jars (jar dimensions of 2" diameter x 3" height).

FOR A COMPLETE LISTING OF LABELS, STARTING ON PAGE 44



BMH312 - 31/2" x 1"



BMH313 - 2" x 1/3"

INSULATED PALLET COVERS

ECONOMICAL PALLET COVERS



INSULATED PALLET COVER (PCEB) – LIGHT DUTY

Cover pallet of perishables for short term freight shipments with reflective thermal protection. Extend shipping to medium term with ICE-BRIX[®] saddle bag or Cold Pocket cold pack system, with a curtain of cold[™] to uniformly extent perishable products for additional 24 hours or more. Secure with tape or stretch film.

- Effective reflective barrier
- ³/₁₆" metalized bubble
- Reuseable

ECONOMICAL PALLET COVER (PCEL) - LIGHT MEDIUM DUTY

Provides short term thermal protection for pallets of perishables. Light medium duty pallet covers are constructed from metalized film laminated to polyethylene foam. Features a large document pocket and easily covers top and sides of pallet. Secure with clear tape or stretch film.

For an additional 24 hour shipping use ICE-BRIX[®] saddle bag cold wrap or Cold Pocket[™] system to apply a curtain of cold[™] to the pallet of perishables.

- Reflective Insulation
- Moisture barrier
- Document pocket
- Cost effective
- Reusable

ECONOMICAL PALLET COVERS

NEW PART #	SIZE L x W x H	COLOR	QTY
PCEB	48" x 40" x 48" (Light weight)	Silver	Each
PCEL	42" x 50" x 40" (Light Medium weight)	Silver	Each



RUBBER BANDS (3 SIZES AVAILABLE)

PART #	DIMENSIONS	QTY/PER BAG
1301	³ /4″ x 72″	1
1401	¾″ x 84″	1
1501	³⁄₄″ x 92″	1

INSULATED PALLET COVERS

MEDIUM AND HEAVY DUTY PALLET COVERS





TEST AND COMPARE

- Ultimate in temperature uniform stability
- Refrigerant Saddle Bags controls the entire stability process
- Maximum temperature sensitive protection for bulk transport of refrigerated or frozen products even under extreme ambient conditions for up to 6 days
- Reusable
- Recyclable



GORT INSULATED PALLET COVERS

Insulated Pallet Cover Systems — Light, Medium, Heavy Duty Choices. ICE-BRIX® Saddle Bag and/or Cold Pocket[™] refrigerant/frozen systems fully wrap and enclose your perishables with a curtain of cold[™]. Unless you completely cover your product, the only thing keeping your product cold... is the product itself.

MEDIUM DUTY INSULATED PALLET COVERS

PART #	SIZE L x W x H	COLORS			
PCM33	42" × 50" × 33"	Red or Black			
PCM48	42" × 50" × 48"	Red or Black			
PCM72	42" x 50" x 48-72" (Adjustable)	Red			

HEAVY DUTY PALLET COVER

PART #	SIZE L x W x H	COLORS
PCH	42" x 50" x 48"	Grey

OPTIONAL PALLET COVER SYSTEM COMPONENTS

PART #	DESCRIPTION
BC.60 - BC.130	Barrier pallet bag
BC.60 - BC.130	Barrier pallet cover
SB24	ICE-BRIX [®] Saddle Bag refrigerant
CP12	Cold Pocket Saddle wrap (refrigerant packs or dry ice)
1300	Insulated bottom pallet pad
1301 - 1401 - 1501	Large pallet rubber band – hold refrigerant wrap in position

Glue dots - hold refrigerants in position in transport, see page 62.

Pallet Cover Duffle Bag

Ideal for return of pallet cover, clean and undamaged. Store till needed - Send duffle bag with shipment for a safe return system. Protect your investment. Part No. PCDB

GORT REFRIGERATED/FROZEN TRANSPORT

"THE WEEK THE TEMPERATURE STOOD STILL"

- Ultimate in uniform temperature stable assurance
- Tamper resistant
- Rugged construction
- Engineered to be superior

Available in short, medium and tall. Constructed of rugged double wall corrugated, tight fitting 3" EPS foam insulation with inter locking corners, and bulk container barrier bag. Comes preassembled. ICE-BRIX[®] Saddle bag and or Cold Pocket[™] refrigerant systems fully wraps and protects perishable. **TEST AND COMPARE**

- Refrigerant Saddle Bags control the entire stability process
- Maximum temperature sensitive protection for bulk transport of refrigerated or frozen products even under extreme ambient conditions for up to 6 days
- Reusable, recyclable

PART #	INSIDE DIMENSIONS L x W x D	OUTSIDE DIMENSIONS L x W x D	WALL THICKNESS	empty Weight
GORT104	40" x 32" x 25"	47 ¾" x 39 ¾" x 32 ¼"	3″	29 lbs.
GORT110	40″ x 32″ x 41½″	47¾″ x 39¾″ x 49″	3″	34 lbs.
GORT112	42" x 33" x 51½"	48" x 40" x 58"	3″	39 lbs.

• Optional plastic pallets — please inquire

Custom sizes available

Optional insulation panel thicknessWeight shown without pallet

OPTIONAL PALLET COVER SYSTEM COMPONENTS

PART #	DESCRIPTION
BC.60 - BC.130	Barrier pallet bag
BC.60 - BC.130	Barrier pallet cover
SB24	ICE-BRIX [®] Saddle Bag refrigerant
CP12	Cold Pocket [™] Saddle wrap (refrigerant packs or dry ice)
1300	Insulated bottom pallet pad
1301 - 1401 - 1501	Large pallet rubber band – hold refrigerant wrap in position

Glue dots - hold refrigerants in position in transport, see page 62.

- Ultimate in temperature uniform stability
- Maximum temperature sensitive protection for bulk transport of refrigerated or frozen products
- Reusable, recyclable

PART #	ICE-BRIX [®] SADDLE BAG PALLET REFRIGERANTS			
SB24	12" x 144" 18 continuous packs, full length cold wrap or cut to desired length			
PART #	COLD POCKETS™ CREATE YOUR OWN CURTAIN OF COLD [™] WRAP, INSERT EITHER COLD PACKS, DRY ICE SLABS OR BOTH			

CP12	12" wide x 144" long 15 pockets per length
------	--

(Minimum 4 full wraps) 7 wraps will provide a full curtain of cold coverage for a pallet or bulk transport shipper. You can cut them to a length of your choice to surround your product and keep the cold in place during shipping. Use pallet rubber band part # 1301, 1401 or 1501 to hold the refrigerant against the product during shipping.

THERMO CHILL® GLOBAL OPTIMUM REFRIGERATED/ FROZEN TRANSPORTS





TALL NOT SHOWN

ICE-BRIX® SADDLE BAGS



SUPERIOR PERFORMANCE IN ALL TYPES OF CONDITIONS

LABELS – MAILERS AND SMALL PACKAGES

Pressure Sensitive Permanent Adhesive Labels

NEW LOW PRICES

These stock shipping, caution and handling labels draws the attention to your valued shipments. Featuring, a permanent adhesive for an aggressive adhesion to corrugated boxes, stretch film and mailers. Caution and handling labels help packages arrive safely.

500 LABELS PER ROLL - 3" CORE (LABEL DIMENSIONS SHOWN IN INCHES)



LABELS – PRODUCTION AND SMALL PACKAGES



INSPECTED

SPL 124 - 2 x 11/4

NEX

SPL 128 - 2 x 11/4

SMALL

PARTS

ENCLOSED

SPL 134 - 2 x 11/4

QUALITY

HOLD

SPL 132 - 2 x 1¹/₄

PACKED

SPL 130 - 2 x 11/4

Bv



SPL 122 - 2 x 11/4

MOVE TO

STOCK

SPL 126 - 2 x 1¹/₄



SPL 120 - 2 x 11/4







NEW

Solution - to transfer liability to the carriers that damage your shipments. Take digital photos of departing shipment. Label photo verified shows that shipment left your facility in good condition.



NEW LOW PRICING!

FOR SUPERIOR PERFORMANCE IN ALL TYPES OF CONDITIONS.

CALL FOR VOLUME PRICING.

UP ARROWS/RUSH/FRAGILE/GLASS LABELS

UP ARROW LAB PRESSURE SENSITIVE P ADHESIVE LABELS All labels shown below are immediate shipment.	ermanent available for	THIS END UP UP UP UP UP UP UP UP UP UP UP UP UP	 CAUTION THIS SIDE UP x 8 SCL 511R - 3 x 4 	CAUTION THIS SIDE UP SCL 515 – 3 × 5
Pettorite Strate care	THIS END	HIS UP 5CL 546 - 6¼ x 3		this side up fragile AndLe with CARE SCL 521 – 5 x 3
RUSH LABELS			_	
PLEASE RUSH LIFE SAVING DRUG INSIDE	RUSH MEDICAL SUPPLIES URGENTLY NEEDED SCL 548 – 4 × 2¾	HOSPITAL SUPPLIES RUSH Perishable / Refrigerate immediately TAL 577 - 4 x 2		
RUSH	RUSH	RUSH	THIS MATERI EITHER REFRIGER STORAGE, OPEN TI CONTENTS AS DIREC THIS MATERIAL TO FF TEMPER	AL REQUIRES ATION OR FROZEN HIS BOX AND STORE CTED. DO NOT ALLOW REZEZ OR SIT AT HIGH ATURES.
SCL 475 – 4 x 4	SCL 825 – 4 × 6	TAL 816 – 4 x 6	TAL 817	7 – 6 x 4
FRAGILE/GLASS	LABELS			
FRAGILE FRAGIL SCL 513 - 4 x 3	HANDLE WITH CARE FRAGILE thank you SCL 533 – 5 × 3	FRAGILE HANDLE WITH CARE FRAGIL MANEJE CON CUIDADO	FRAGILE HANDLE WITH CARE SCL 557 – 5 × 3	FRAGILE DELICATE INSTRUMENTS SCL 504 – 4 × 3
Contraction of the second seco	THIS END UP Fragile Liquid in glass	GLASS SCL 206 – 2½ × 2½ SCL 506 – 4 × 4	FRAGILE SCL 201 – 2½ × 2½ SCL 501 – 4 × 4	GLASS HANDLE WITH CAR SCL 204 – 4 x 11/
46 Polar Tech				www.polar-tech.cc

LABELS - TEMPERATURE AWARENESS

FREEZE **UPON ARRIVAL**

TAL 205 – 4 x 1½

DEEDIGEDATE

REFRIGERATE

UPON ARRIVAL

SCL 237 – 4 x 1½

KFFP RFFRIGFRATFN

TEMPERATURE AWARENESS LABELS

PRESSURE SENSITIVE PERMANENT ADHESIVE LABELS

All labels shown below are available for immediate shipment. We can also custom produce any label to meet your requirements. This is only a partial library of our labels, please ask your customer service representative for our complimentary full label catalog

50 (L#

ur complimentary full labe	el catalog.		REFRIGERATE	KEEP KEFRIGERATED
00 LABELS PER ROLL LABEL DIMENSIONS S			DIAGNOSTIC MATERIALS Keep Refrigerated At All Times TAL 570 – 4 x 2¾	DO NOT FREEZE SCL 587 – 5 × 3
HANDLE WITH CARE KEEP FROZEN Jew Ter SCL 217 - 3 x 2	PERISHABLE REFRIGERATE UPON ARRIVAL OPEN IMMEDIATELY SCL 218 - 3 × 2	PERISHABLE NO DELAY! DO NOT FREEZE KEEP FROM HEAT V	PROTECT FROM FREEZING WWWW SPL 105 - 2 x 1 ¹ /4	REFRIGERATE UPON ARRIVAL DO NOT FREEZE UCCURT SCL 234 - 3 x 3 fluorescent
KEEP FROZEN	REFRIGERATE UPON ARRIVAL DO NOT FREEZE SCL 534 – 3 × 3	NOT HARMED BY FREEZING	REFRIGERATE UPON ARRIVAL PERISHABLE NO DELAY! DO NOT FREEZE KEEP FROM HEAT TAL 510 – 4 × 4	OPEN IMMEDIATELY Rearncearate Upon Regelept Do not freeze Tal 544 – 4 × 4
TAL 528 – 3 x 3 DO NOT FREEZE SCL 511 – 4 x 4	PERISHABLE TAL 513 – 4 × 3	PLEASE OPEN THIS BOX IMMEDIATELY! AND STORE ITEMS AT INDICATED TEMPERATURES SCL 596 – 5 × 3	PERISHABLE MINSPECT TEMPERATURE OF CONTENTS UPON ARRIVAL KEEP REFRIGERATED	RUSH RUSH REFRIGERATE UPON ARRIVAL
OPEN THIS MATERIAL REQUIR EITHER REFRIGERATION OR IN STORAGE. OPEN THIS BOX AN CONTENTS AS DIRECTED. DO N THIS MATERIAL TO FREEZE OR S TEMPERATURES.	ES FROZEN D STORE OT ALLOW SIT AT HIGH HANDLE WITH CARE	Biologicals	PERISH	ABLE VACCINES SERUMS

TAL 817 - 6 x 4







LABELS - SPECIAL HANDLING




INTERNATIONAL/BIOHAZARD LABELS

INTERNATIONAL PICTORIAL MARKINGS



IPM 302 - 3 x 4 IPM 402 - 4 x 6




IPM 305 - 3 x 4 IPM 405 - 4 x 6



IPM 301 - 3 x 4 IPM 401 - 4 x 6





IPM 307 - 3 x 4 IPM 407 - 4 x 6



IPM 304 - 3 x 4 $IPM 404 - 4 \times 6$



IPM 303 - 3 x 4



IPM 313 - 3 x 4 IPM 413 - 4 x 6



IPM 309 - 3 x 4 IPM 409 – 4 x 6



IPM 322 - 3 x 4 IPM 422 - 4 x 6







IPM 316 - 3 x 4 $IPM 416 - 4 \times 6$



IPM 314 - 3 x 4 $IPM 414 - 4 \times 6$



IPM 317 - 4 x 4 $IPM 417 - 4 \times 6$

BIOHAZARD WARNING LABELS

OSHA requires that warning labels be affixed to containers used to store, transport or ship blood or other potentially infectious materials. These fluorescent orange labels meet OSHA marking requirements 29 CFR 1910 & 1030. 3 x 3 inches

Product # HML 440 - English

Product # HML 441 - Spanish

500 per roll, English or Bilingual





HML 440


HML 441



LABELS D.O.T. AND INTERNATIONAL

HAZARD LABELS

Our international labels comply with IATA and UN recommendations for the transport of dangerous goods. All are pressure sensitive, 100mm x 1mm (4 x 4). Labels shown are paper with permanent pressure sensitive adhesive. All are available in rolls of 500. This is only a partial list of labels, please request a full catalog.



MISCELLANEOUS DANGEROUS GOODS DRY ICE LABELS

This label complies with Federal Express labeling and marking recommendations for shipments containing dry ice. 5 ½ x 5 ½ inch gloss paper, pressure sensitive label, 500 per roll. Personalized label with name & address of shipper or consignee available upon request.

PART # HML628



Supervised Superv

Depending on the type of packaging selected to transport Biological Specimens, there are mandatory markings that must appear on the outer packaging according to DOT and IATA regulations. Please refer to IATA Packing Instruction 650 for more details.

GENERAL REQUIREMENTS

Diagnostic specimens must be packed in good quality packaging, which must be strong enough to withstand the shocks and loadings normally encountered during transport, including trans-shipment between transport units and between transport units and warehouses as well as any removal from a pallet or overpack for subsequent manual or mechanical handling. Packaging must be constructed and closed so as to prevent any loss of contents when prepared for transport which might be caused under normal conditions of transport, by vibration or by changes in temperature, humidity or pressure.

Primary receptacles must be packed in secondary packaging in such a way that, under normal conditions of transport, they cannot break, be punctured or leak their contents into the secondary packaging. Secondary packaging must be secured in outer packaging with suitable cushioning material. Any leakage of the contents must not substantially impair the protective properties of the cushioning material or of the outer packaging.



Stock card size is 4.25" x 2.75" 100 per pack

PC00200 – 4 ¼ x 2 ¾

BHM201 - 1 7/8 x 2 1/2

COLD AND WARM/TEMP INDICATORS







Inactivated & unarmed



Armed & exposed



- Run-out window is calibrated to isothermal temperature of 2°C above the stated printed threshold temperature**
- Blister on Top (BOT) armed on the front of device. Allows smaller increments of time/ temp exposure to be shown.
- Blister on Back (BOB) armed on the back of device. Allows for longer run-out times
- ** based on 2°C, exact temp does effect run-out

COLDMARK² TEMPERATURE INDICATORS

ColdMark² Temperature Indicators are the ideal way of assuring your products have not been exposed to cold temperatures below 36°F / 2°C. Guaranteed to work within + or - 1°C degree of it's response temperature. You know at a glance if your product has been exposed to freezing temperatures in transit (shipping) or storage. The highest degree of accuracy in the industry, providing a permanent record that assures your product's integrity and quality. Our courteous customer service professionals will answer any questions you might have on our quality line of temperature indicator recorder products.

PART #

520

DESCENDING

2° C / 36° F

- Assure the quality of refrigerated pharmaceuticals, chemicals, film, medical devices and electronics
- Provides an accurate visual record of damaging low temperature conditions
- Record conditions at a critical temperature
- Easy to use
- 1 Push "power" button to activate Individually serialized Indicates the device is armed Turns **RED** when exposed past threshold Temp sensitivity Part No.



QUANTITY

100 ColdMark²



WARMMARK² TEMPERATURE TAGS

WarmMark² time temperature tags leave you in control even after your product has been shipped. Your customers know at a glance if the product has been exposed to abusive temperatures during shipping or storage. The Warm Mark² tag accurately (+ or - 1°C) indicates if your product has been exposed to heat above a selected temperature. Please contact our customer service representative for more details.

1

PART #	ASCENDING TEMP. WARNING EXPOSURE	BOT VS. BOB	QTY PER CASE
501	-20° C/-4° F	BOT	100
508	-14° C/7° F	BOT	100
502	0° C/32° F	BOB	100
503	5° C/41° F	BOT	100
505	8° C/46° F	BOB	100
506	10° C/50° F	BOB	100
504	20° C/68° F	BOB	100
509	24° C/75° F	BOT	100
510	30° C/86° F	BOT	100
507	38° C/100° F	BOT	100



- Push "power" button to activate (button on back for longer monitoring times)
- Temp sensitivity 2
- Individually serialized 3
- 4 Indicates the device is armed
- BLUE appears at exact exposed time 5
- Part No. 6



Inactivated & unarmed

Armed & exposed past threshold



FOAM CORNERS AND EDGE PROTECTORS

Molded expanded polystyrene foam, corner and edge protectors are specifically designed to protect your products.

- Shock barrier
- Protects fragile items in an air cell
- Protect corners and edges
- Use glue dots hold foam units in place











CORNER PROTECTORS

PART #	DESCRIPTION		INSIDE DIMENSIONS L x W x D	OUTSIDE DIMENSIONS L x W x D
900	3/4" Foam corner protectors	Square	2 ¼″ x 2 ¼″ x 2 ¼″	3″ x 3″ x 3″
901	³ / ₄ " Foam corner protectors	Square	3" x 3" x 3"	3¾″ x 3¾″ x 3¾″
902	1¼" Foam corner protectors	Square	3 ½″ x 2 ¾″ x 2″	4 ⁷ / ₈ " x 4" x 3 ¹ / ₄ "
903	3/4" Foam corner protectors	Triangle	3" x 3" x 4 ¼"	4 ½″ x 4 ½″ x 6 ¾″
904	1½" Foam corner protector	Square	3¾″ x 3¾″ x 2¼″	5 ¼″ x 5 ¼″ x 5 ¼″



CLOSED END

OPEN END

EDGE PROTECTORS

PART #	DESCRIPTION		INSIDE DIMENSIONS L x W x D	OUTSIDE DIMENSIONS L x W x D
905	³ / ₄ " Edge protector 6" snap away sections	OPEN END	24" x 2 ¼" x 2 ¼"	24" × 3" × 3"
906	³ / ₄ " Edge protector 6" snap away sections	CLOSED END	22 ½″ x 2 ½″ x 2 ½″	24" × 3" × 3"
907	1" Edge protector 6" snap away sections	OPEN END	24" × 2" × 2"	24" × 3" × 3"
908	1" Edge protector 6" snap away sections	CLOSED END	22" × 2" × 2"	24" x 3" x 3"
909	1" Edge protector 9" snap away sections	OPEN END	36" x 2¾" x 2¾"	36" x 3¾" x 3¾"
910	1" Edge protector 9" snap away sections	CLOSED END	34" x 2¾" x 2¾"	36" x 3¾" x 3¾"
911	1¼" Edge protector 9" snap away sections	OPEN END	36″ x 2 ½″ x 2 ½″	36" x 3¾" x 3¾"
912	1¼" Edge protector 9" snap away sections	CLOSED END	33 ½″ x 2 ½″ x 2 ½″	36" x 3¾" x 3¾"
913	$1 \ensuremath{\!\!\!\!/} \ensuremath{\!\!\!/} 2''$ Edge protector $9''$ snap away sections	OPEN END	36" x 2 ½" x 2 ½"	36" x 3¾" x 3¾"
914	$1{}^{1}\!{}^{\prime\prime}\!{}^{\prime\prime}$ Edge protector 9" snap away sections	CLOSED END	34" x 2¾" x 2¾"	36" x 3¾" x 3¾"

PACKAGING AND SHIPPING ROOM SUPPLIES

FOR YOUR CONVENIENCE WE CARRY ADDITIONAL PACKAGING AND SHIPPING ROOM SUPPLIES.



In-Stock for immediate shipping. Lets build a powerful partnership. If you require a size that we don't have listed, we can get it and would like to stock the sizes to serve you BEST.

FREE CORRUGATED PUZZLE WITH ALL ORDERS.

CORRUGATED BOXES



IF YOU DON'T SEE IT WE CAN GET GET IT



IN-STOCK FOR IMMEDIATE SHIPPING!



PRINTED CUSTOM BOXES CALL FOR QUOTE

CORRUGATED BOXES

PART #	INSIDE DIMENSIONS L x W x H	USE WITH	QTY BUNDLE/BALE	WEIGHT BUNDLE
KD555	5" x 5" x 5"		25/1800	5 lbs.
KD5510	5″ x 5″ x 10″		25/1200	8 lbs.
KD865	8″ x 6″ x 5″	Box liner	25/1200	8 lbs.
KD888	8″ x 8″ x 8″	Box Liner	25/900	12 lbs.
KD1087	10 ″ x 8 ″ x 7″		25/500	15 lbs.
KD101010	10" x 10" 10"	Box Liner	25/500	19 lbs.
KD12109	12″ x 10″ x 9″	Box Liner	25/500	20 lbs.
KD121212	12″ x 12″ x 12″	Box Liner	25/500	27 lbs.
KD13136	13″ x 13″ x 6″		25/500	34 lbs.
KD13138	13″ x 13″ x 8″		25/500	20 lbs.
KD141210	14″ x 12″ x 10″		25/500	27 lbs.
KD141414	14″ x 14″ x 14″	Box Liner	25/250	38 lbs.
KD15104	15″ x 10″ x 4½″	Pulp wine 2 bottle	25/150	31 lbs.
KD15108	15″ x 10″ x 8 ¾″	Pulp wine 4 bottle	25/150	33 lbs.
KD1665	16″ x 6½″ x 5¾″	Pulp wine 1 bottle	25/150	36 lbs.
KD1688	16" x 8" x 8"		25/500	30 lbs.
KD161414	16″ x 14″ x 14″		25/300	24 lbs.
KD161616	16″ x 16″ x 16″	Box Liner	25/125	47 lbs.
KD171412	17″ x 14¾″ x 12½″		25/125	35 lbs.
KD171717	17″ x 17″ x 17″		25/125	46 lbs.
KD18128	18″ x 12″ x 8″		25/250	24 lbs.
KD181315*	18" x 13" x 15¼"		25/125	42 lbs.
KD181616	18″ x 16″ x 16″		20/240	43 lbs.
KD181818	18″ x 18″ x 18″		20/120	48 lbs.
KD19126	19¼″ x 12¼″ x 6″	Pulp wine 3 bottle	25/150	32 lbs.
KD19128	19¼″ x 12¼″ x 8½″	Pulp wine 6 bottle	25/150	34 lbs.
KD191214	19¼″ x 12¼″ x 14″	Pulp wine 12 bottle	25/150	38 lbs.
KD201816	20″ x 18″ x 16″		10/150	60 lbs.
KD202036	20" x 20" x 36"		10/120	39 lbs.
KD211312	21" x 13" x 123⁄4"		25/125	35 lbs.
KD211412	21¼″ x 14½″ x 12½″		25/125	37 lbs.
KD212112	211/8″ x 211/8″ x 123%″		25/125	57 lbs.
KD211616	22″ x 16″ x 16″		25/125	48 lbs.
KD222218	22″ × 22″ × 18″		10/150	20 lbs.
KD222220	22" x 22" x 20"		10/120	73 lbs.
KD222222**	22" x 22" x 22"		15/150	29 lbs.
KD231516	23 ¹ / ₂ " x 15 ³ %" x 16 ¹ / ₂ "		25/125	49 lbs.
KD2499	24" x 9" x 9"		25/250	66 lbs.
KD241210	24" x 12" x 10"		25/250	32 lbs.
KD241514	24″ x 15″ x 14″		25/125	45 lbs.
KD241614	24″ x 16″ x 14″		25/125	48 lbs.
KD241818	24″ x 18″ x 18″	Box Liner	15/120	40 lbs.

* FOL - Full over lap

** Multi depth 22, 20, 18, 16

CORRUGATED STOCK/SELF-SEAL SIDE LOADING BOXES



ORDERS SHIPPED FROM NEAREST LOCATION



LARGE QUANTITIES CALL FOR QUOTE

CORRUGATED BOXES

Part #	INSIDE DIMENSIONS L x W x H	USE WITH	QTY BUNDLE/BALE	WEIGHT BUNDLE
KD242018	24″ x 20″ x 18″		10/120	25 lbs.
KD242012	24″ x 20″ x 12″		25/125	56 lbs.
KD242016	24″ x 20″ x 16″		25/125	63 lbs.
KD242430	24" x 24" x 30"		10/150	43 lbs.
KD262020	26" x 20" x 20"	Box Liner	10/120	34 lbs.
KD272121	27″ x 21″ x 21″		25/125	79 lbs.
KD292414	29¾″x 24″ x 14¾″		25/125	82 lbs.
KD362424	36″ x 24″ x 24″		5/120	24 lbs.

275 LB. STOCK BOXES AVAILABLE

		OTV	WEIGHT
PART #	INSIDE DIMENSIONS L x W x H	QTY BUNDLE/BALE	BUNDLE
KD1013PL	5¾″ x 5¾″ x 6¾″	25/375	21 lbs.
KD716PL	5 ½" x 5 ½" x 11 ¾"	25	8 lbs.
KD732PL	6″ x 6″ x 12 ½″	25	19 lbs.
KD780PL	7 ⁷ / ₈ ″ x 7 ⁷ / ₈ ″ x 16″	25	29 lbs.
KD1019PL	8 ⁵ /16" x 5 ³ /16" x 12 ³ /8"	25/750	20 lbs.
KD1016PL	8 %16" x 8 %16" x 10 1/8"	25/750	17 lbs.
KD790PL	10 ½″ x 10 ½″ x 18″	25	39 lbs.
KD1014PL	10 ³ ⁄4″ x 5 ³ ⁄8″ x 6 ³ ⁄8″	25/375	31 lbs.
KD1015PL	10 ⁵ %" x 10 ³ %" x 6 ³ %"	25/750	19 lbs.
KD1020PL	115%" x 8 3/16" x 12 %"	25/500	22 lbs.
KD761PL	14" x 10" x 111/4"	25	25 lbs.
KD784PL	14" x 14" x 15 ½"	25	37 lbs.
KD1021PL	16 ½" x 11½" x 12 ¾"	25/250	34 lbs.
KD1017PL	17 1/8" x 8 %16" x 10 1/8"	25/500	25 lbs.
KD1018PL	17 ¼″ x 17 ¼″ x 10 ½″	25/250	47 lbs.

SELF-SEAL SIDE LOAD BOXES



SELF-SEAL SIDE LOADING BOXES

Plain version of FED EX Express, UPS, Nextday Air and UPSP Priority Mail boxes.

- Assembles easily no tape or glue required. Adhesive strip, seals flaps securely on both ends of box.
- Ships flat and saves space.
- Tear strip for easy opening
- Tamper evident

PART #	INSIDE DIMENSION L x W x H	MULTI-DEPTH / DESCRIPTION	QTY BUNDLE/BALE
KD10212SL	10 ⁷ / ₈ " x 2" x 12 ¹ / ₄ "	Small books/insulated mailers	25/1225
KD11315SL	11¼″ x 3″ x 15 ¼″	Large documents/insulated mailers	25/875
KD12317SL	12½″ x 3″ x 17½″	Large fold papers/insulated mailers	25/875

PADDED MAILERS

Self-seal adhesive strip secures bags quickly and easily, saving both time and money.

- Recycled fiber padding inside bag absorbs shock and protects contents from damage
- End flap is coated with a natural rubber adhesive that only sticks to itself

PART # FULL CASE	FULL CASE QTY	PART # 25-PACK	DIMENSIONS (W × L)	NUMBER
1097	100	1102	8 ½″ x 12″	#2
1098	100	1103	8 ½″ x 14½″	#3
1099	100	1104	9 ½″ x 14 ½″	#4
1100	100	1105	10½″ x 16″	#5
1101	50	1106	12½″ x 19″	#6

Attractive white mailers will impress your customers!

- Self-seal adhesive strip seals bag securely, no additional protective wraps needed
- Fiber lining cushions contents during shipping

PART # FULL CASE	FULL CASE QTY	PART # 25-PACK	DIMENSIONS (W × L)	NUMBER
1107	100	1113	7 ¼″ x 12″	#1
1108	100	1114	8 ½″ x 12″	#2
1109	100	1115	8 ½″ x 14 ½″	#3
1110	100	1116	9 ½″ x 14 ½″	#4
1111	100	1117	10½″ x 16″	#5
1112	50	1118	12½″ x 19″	#6

Puncture and moisture resistant mailers keep items safe during shipping.

- Interior fibers expand as package is handled for consistent cushioning
- Can be taped or stapled closed

PART #	DIMENSIONS (W x L)	NUMBER	CASE QTY
143	7 ¼″ x 12″	#1	100
144	8 ½″ x 12″	#2	100
149	8 ½″ x 14 ½″	#3	100
145	9 ½″ x 14 ½″	#4	100
146	10½″ x 16″	#5	100
147	12 ½″ x 19″	#6	50

KRAFT SELF-SEAL PADDED MAILERS



WHITE SELF-SEAL PADDED MAILERS



PADDED MAILERS



NEW PRODUCTS

Fit your requirement & budget. Call our professionals for your needs.



COOL BARRIER BUBBLE See page 25.



COOL STUFF[™] INSULATED MAILERS See page 24.

HAND STAPLERS, GIFT & WRAPPING TISSUE, NEWSPRINT

INDUSTRIAL HAND STAPLERS



GIFT GRADE COLORED TISSUE PAPER



WRAPPING TISSUE



Crumples easily for packing into small cartons and mailers.

- Economy Tissue: Perfect for wrapping glass or other fragile items, basis weight 10#
- Heavy Tissue: Economical void-fill, basis weight 15#

ECONOMY TISSUE (COLOR: WHITE) HEAVY TISSUE (COLOR: ECRU)

PART #	SHEET SIZE	SHEETS PER CASE	PART #	SHEET SIZE	SHEETS PER CASE
1123	20" x 30"	4,800	1125	20" x 30"	2,300
1124	24″ x 36″	2,880	1126	20" x 36"	1,920

CORRUGATED PUZZLES NEW

Die cut corrugated puzzles for assembly

- Enjoy building these 3-D puzzles
- Promotional event hand outs

Call for volume and personalized printed quote.

Powerful hand stapler with increased leverage and great driving force.

- Good for sealing light-weight shipping cartons
- Holds both ¼" and ¾" staples

PART #	DESCRIPTION	CASE QTY
ST1119	Industrial Hand Stapler	1
ST1120	Industrial Sword Point Stapler	1
ST1121	1/4" Deluxe Staples	6,000
ST1122	%" Deluxe Staples	5,000

Enhance the appearance and add dimension to your packaging with premium quality Tissue Paper.

- Special dyes resist fading and bleeding
- Basis Weight: 10#
- Soft texture on both sides

PART #	SHEET SIZE	COLORS	SHEETS PER CASE
1127	20" × 30"	Royal Blue	480
1128	20″ × 30″	Bright Pink	480
1129	20″ × 30″	Yellow	480
1130	20″ × 30″	Red	480
1131	20" × 30"	Green	480

NEWSPRINT



Economical void-fill. A great stuffer. Unprinted newsprint is made from 100% recycled paper.

- Available sheeted or in rolls
- Roll fits standard paper cutters
- Basis weight: 30#

PART #	SHEET SIZE	WEIGHT PER BUNDLE	SHEETS PER BUNDLE
1137	15″ × 20″	50#	2,400
1138	18″ x 24″	50#	1,666
1139	20" × 30"	50#	1,200

Į		-	
P/	ART #	DESCRIPTION	QTY/CASE
1	550	Bi-Plane	50
1	151	Pilgrim Sailing Ship	50

58 Polar Tech

www.polar-tech.com

AIR BUBBLE WRAP AND CELLULOSE WADDING

SELF DISPENSING BOX

- Protect fragile items
- Light weight bubbles reduce your shipping cost
- Wraps well around odd shaped items
- Dispenser box keeps the film clean and convenient to use
- Rolls are perforated every 12 inches



INDUSTRIAL SIZE AIR BUBBLE

PART #	BUBBLE	BUBBLE USE	ROLL SIZE	ROLLS
150	³ /16″	Lightweight	12″ x 750′	4
151	3/16″	Lightweight	24″ x 750′	2
152	3/16″	Lightweight	48″ x 750′	1
153	1/2″	Void Fill _″	12″ x 250′	4
154	1/2″	Void Fill _″	24″ × 250′	2
155	1/2″	Void Fill _″	48" x 250'	1

VERSA-PAK MASTER ROLL

- Versatile soft wadding easily wraps any sharp object
- Perforated every 12" and has an additional 6" zip perforation
- Multi-layer wadding absorbs oil and water. Non-abrasive
- Can be reused or recycled

COLOR: KRAFT, PERFORATED EVERY 12"

PART #	DESCRIPTION	slit @	FEET PER ROLL
170	1⁄4″ x 48″	12″	270 feet

VERSA-PAK DISPENSER PACK

- Versa-Pak in an easy to use dispenser pack
- Great for workstation use. Portable.
- 200 feet per roll
- Color: Kraft, perforated every 12"

PART #	DESCRIPTION	slit @
176	1⁄4″ x 12″	12



AIR BUBBLE CUSHIONING WRAP



INDUSTRIAL SIZE AIR BUBBLE



VERSA-PAK[™] CELLULOSE WADDING



HOPPER & PEANUTS, VERMICULITE, WRAP AND CABLE TIES

DISPENSER HOPPER AND PACKING PEANUTS



LOOSE FILL DISPENSER HOPPER

Squeeze the spring-loaded scissors to release the right amount of loose fill

- Includes rope and 2 pulleys, mounts to warehouse ceiling
- Durable, rot resistant canvas bag has reinforced flexible tubing attached
- Dispenses all types of loose fill packing peanuts

PART #	DESCRIPTION
815	30 Cubic Foot Loose Fill Dispenser
816	60 Cubic Foot Loose Fill Dispenser
817	90 Cubic Foot Loose Fill Dispenser
818	Swivel Valve
819	6″ flexible tubing

PACKING PEANUTS

- Regular FLO-PAK[®] the clean peanut no breaks, no crumbling
- Heavy-duty FLO-PAK[®] to protect heavier objects
- Biodegradable packing peanut made from corn starch, dissolves in water

	REGULAR HEAVY-DUTY BIODEGR	ADABLE
PART #	DESCRIPTION	BAG
100	Regular (FLO-PAK®)	14 cu. ft.
108	Heavy-duty (FLO-PAK [®])	14 cu. ft.
109	Biodegradable	12 cu. ft.

VERMICULITE

- Recommended for shipping liquids
- Protects against shock
- 4 cubic foot bags

		1
PART #	GRADE	14.2
195	4A Extra Course	
196	3A Course	
197	2A Medium	UPS SHIP
198	1A Fine	OVERSIZE
		••••

ADJUSTABLE STRETCH WRAP DISPENSER - SR550


Designed for stretch wrap on a 11/2", 2" or 3" core, this deluxe extra heavy duty steel dispenser works with 16", 18" and 20" high rolls.

- Weight: 3 lbs.
- Core size: 11/2", 2", 3"
- Heid

Height of roll: 16" – 20"				
PART #	DESCRIPTION	CASE QTY		
1302	Hand Dispenser	1		
1303	18″ Stretch Film	4		



NYLON CABLE TIES



These versatile fasteners can be used in countless applications wherever you need to bundle wires, cables or hoses. They can be joined together for even large diameters. Have minimum loop tensile strengths from 18 to 120 pounds.

PART #	CROSS SECTION	SIZE L x W	MIN. LOOP TENSILE STRENGTH	BUNDLE DIAMETER	PKG QTY	CASE QTY
668	Minimum	4″ x .10″	18 lbs.	0.87″	1,000	25,000
669	Minimum	6″ x .10″	18 lbs.	1.25″	1,000	25,000
670	Economy	8″ x .14″	50 lbs.	2.00″	1,000	10,000
671	Economy	14.6″ x .14″	50 lbs.	4.00″	1,000	5,000
672	Lt. Heavy	8.4″ x .30″	120 lbs.	2.00″	100	3,000
673	Lt. Heavy	14.5″ x .30″	120 lbs.	4.00″	50	2,000
674	Lt. Heavy	24″ x .30″	120 lbs.	5.00″	50	500

ZIPPER-LOCK BAGS, POLY BAGS, BAG SEALER

Durable, 2 mil., multi-purpose poly bags allow clear view of contents. Low cost, reusable bags are waterproof and keep dirt and moisture away from contents.

PART #	SIZE W x L	CASE QTY	PART #	SIZE W x L	CASE QTY
617	2″ x 3″	1,000	602	6″ x 6″	1,000
616	3″ x 3″	1,000	610	6″ x 9″	1,000
600	3″ x 4″	1,000	603	7″ x 10″	1,000
615	3" x 5"	1,000	604	8″ x 8″	1,000
614	4" x 4"	1,000	609	8″ x 10″	1,000
601	4″ x 6″	1,000	605	9″ x 12″	1,000
613	4" x 8"	1,000	608	12″ x 15″	1,000
612	5″ x 7″	1,000	607	16″ x 18″	1,000
611	5″ x 8″	1,000	606	18″ x 24″	1,000

ZIPPER-LOCK POLY BAGS



POLY BAGS



Multi-purpose 2 mil polyethylene bags. Ideal for insulated box liners and product/ refrigerant barrier with leak proof feature. Made of virgin polyethylene.

PART #	SIZE W x L	CASE QTY	PART #	SIZE W x L	CASE QTY
618	2" x 3"	1,000	642	8″ x 10″	1,000
619	2″ × 8″	1,000	649	8″ x 12″	1,000
620	3″ x 3″	1,000	654	9″ x 10″	1,000
621	3" x 4"	1,000	655	9″ x 12″	1,000
622	3″ × 5″	1,000	656	10″ x 12″	1,000
623	3″ x 6″	1,000	644	10″ x 14″	1,000
624	4" x 4"	1,000	657	10″ x 16″	1,000
625	4″ × 5″	1,000	658	10″ x 18″	1,000
626	4″ x 6″	1,000	659	12″ x 12″	1,000
627	4″ x 8″	1,000	660	12″ x 16″	1,000
628	4″ x 12″	1,000	661	12″ x 18″	1,000
629	5″ x 7″	1,000	662	12″ x 24″	1,000
630	5″ x 8″	1,000	646	14″ x 18″	1,000
631	5″ x 12″	1,000	663	14″ x 24″	1,000
632	6″ x 6″	1,000	639	14″ x 36″	500
633	6″ x 8″	1,000	647	16″ x 20″	1,000
634	6″ x 9″	1,000	664	18″ x 18″	1,000
641	6″ x 10″	1,000	665	18″ x 30″	500
635	6″ x 12″	1,000	648	22" x 30"	500
636	6″ x 16″	1,000	645	24″ x 26″	200
637	7″ x 10″	1,000	643	28" x 34"	250
638	7″ x 14″	1,000	Bag	Twist Ties, Coated	d Wire
640	8″ × 8″	1,000	667	Twist Tie 4″ L	2, 000

BAG SEALER



These impulse sealers create a 2mm wide seal. Simply push down on the handle, when the indicator light goes out release the handle. The bag is sealed perfectly every time.

PART #	MAX. SEAL LENGTH	MAX. SEAL THICKNESS	WATTS	WEIGHT
1310	8″	4 mil	260W	8 lbs.
1311	12″	5 mil	380W	11 lbs.
1312	16″	6 mil	400W	13 lbs.

ADHESIVE GLUE DOTS AND DISPENSER

PRO2-80 HIGH TEMPERATURE (INDUSTRIAL GLUE GUN)

- Ergonomic comfort grip and long trigger
- Protective heat resistant nozzle cover
- Uses standard glue sticks.
- Operating temperature: 380° F
- Detachable wire stand.
- Delivers 2.5 pounds of glue per hour

PART #	GLUE STICK DIAMETER	GLUE STICK LENGTH	WATTS	VOLTS
1052	7/16″ Regular	10″ and 1 <i>5″</i>	80	120

PRO8000A QUICK HEATING (INDUSTRIAL GLUE GUN)

- Ergonomic design long trigger for less effort.
- Lighted on and off switch.
- Integrated gun balancer mount hole.
- Heat resistant nozzle cover.
- Dual heaters and 180 watts of heating power that features a 2 minute quick heat up time.
- Stroke adjustment screw allows equal amounts of glue per squeeze.

PART #	GLUE STICK DIAMETER	GLUE STICK LENGTH	WATTS	VOLTS
1053	7/16″ Regular	10″ and 1 <i>5″</i>	80	120

ADHESIVE SPRAY AND GLUE

SPRAY ADHESIVE PART # 1154

Industrial grade multi-purpose use to bond paper, cardboard, glass, metal, plastic, wood, fabric, floral foam and cork. Permanent or repositionable. Net Weight: 10 oz.

GLUE PART # 1155

Extra thick glue for superior bonding and flexibility. Bonds to metal, plastic, wood, glass, ceramics, fabric, vinyl. 2.0 fl. oz. tube.



PERSONAL MINI GLUE GUN KIT • Includes: dual temperature

Includes: dual temperature mini glue gun and 12 - mini (.27") 4" all-temperature glue sticks

PART # 1152

HE-750 HIGH TEMPERATURE (PROFESSIONAL GLUE GUN)

- Ergonomic comfort grip and long trigger
- Uses standard glue sticks.
- Operating temperature: 380° F
- Complete with removal wire stand.
- Ideal choice for light duty industrial and packaging applications.

PART #	GLUE STICK DIAMETER	GLUE STICK LENGTH	WATTS	VOLTS
1150	7/16″ Regular	10″	80	120

PRO2-220 ADJUSTABLE TEMPERATURE (INDUSTRIAL GLUE GUN)

- Ergonomic finger trigger design for less effort
- Temperature adjustment from 248° F to 428° F
- Integrated gun balancer mount hole
- Lighter On/Off switch
- Stroke adjustment screw equal amounts of glue
- Includes: extra nozzle, wire stand and stroke adjustment screw.

PART #	GLUE STICK DIAMETER	GLUE STICK LENGTH	WATTS	VOLTS
1151	7/16″ Regular	10" and 15"	80	120

GLUE DABS

Pre-made pressure sensitive dabs of adhesive - no need to heat up the glue gun. For temporary or permanent assembly applications. 6,000 dabs per box. Each dab is approximately 3/8" in diameter. Available in 4 formulas.

PART #	FORMULA	DESCRIPTION
1145	Low Tack	Temporary bonding; easily removes from surface
1146	Medium Tack	Temporary bonding; removable
1147	High Tack	High strength; still removable from most surfaces
1148	Super High Tack	Permanent bonding to most surfaces

MINI GLUE GUN GLUE STICKS

- All-Temperature Clear 5/16" Diameter
- All Purpose 4" Glue Stick 100 Sticks Per Bag

PART # 1153







GLUE STICKS, APPLICATORS, KNIVES & BLADES

GLUE STICKS

601 Low-Melt Glue Sticks

- Fast set time with excellent hot tack
- Low temperature adhesive for sealing corrugated cartons, wood, coated paper and ideal for gluing foam.
- Bonds to most porous materials.

701 Fast Set Glue Sticks

- Quick 15 second bonding range
- Hot melt adhesive for packaging and sealing corrugated cartons for medium to larger cartons.
- Bonds to most porous materials such as wood, paper and cloth.

725 All-Purpose/All Temperature Glue Sticks

- Works in either low temperature (250°F) or high temperature (380°F)
- Bonds to porous and non porous, ribbon, floral foam, paper, silk flowers and wood
- 60 second bonding range

925 Acrylic Hot-Melt Glue Sticks

- Unique high performance adhesive for superior bonding to hard and bond surfaces
- Bonds to concrete, vinyl, metal, rubber, tile, stone, ceramic, leather, melamine, coated papers, foil, wood, nylon, fabric, glass plastics and more
- Bonds in cold and frozen applications
- 60-80 second bonding range

PART #	ТҮРЕ	GLUE STICK SIZE	COLORS	QTY PER CASE
1048	Low-Melt 601	7∕16″ x 15″	Tan	approx. 90
1049	Low-Melt 701	7∕16″ x 10″	Tan	approx. 90
1050	Hot-Melt 725	7∕16″ x 10″	Clear	approx. 90
1051	Hot-Melt 925	7∕16 ″ x 10″	Clear	approx. 90



UTILITY KNIVES AND BLADES

MODEL 1313 CUTTER

All Metal Heavy Duty Safety Spring-Back Blade Utility Knife. Blade notch allows for the cutting of stretch wrap or twine without extending the blade. Uses 1319 Blade.



0

MODEL 1314 CUTTER

All Metal Rugged Fully Retractable All Purpose Utility Knife. Multiple blade length settings. Perfect for industrial, maintenance, shipping rooms, construction and anywhere a durable cutter is needed. Uses 1319 Blade.



MODEL 1315 CUTTER

Industrial Heavy Duty Retractable Snap Off Blade Box Cutter. Ideal for most industrial, maintenance and shipping room applications. Uses Style 1320 Blade.

MODEL 1316 CUTTER

Ultra Rugged Industrial Retractable Snap Off Blade Box Cutter. Protective and comfortable thick plastic jacket. Constructed for the toughest heavy duty cutting applications. Uses Style 1320 Blade.



MODEL 1317 CUTTER

All Metal Tap Knife. A lightweight compact all steel slide cutter. The inexpensive blade can be reversed or changed in seconds. Uses Style 1318 Blade.

REPLACEMENT BLADES



PART #	DESCRIPTION	CASE QTY	REPLACEMENT BLADES	CASE QTY
1313	All Metal Heavy Duty Safety Spring-Back	12	1319	100
1314	All Metal Rugged Fully Retractable	12	1319	100
1315	Industrial Heavy Duty Retractable Snap Off Blade	12	1320	100
1316	Ultra Rugged Industrial Retractable Snap Off Blade	12	1320	100
1317	All Metal Tap Knife	12	1318	100

PAPER GUM TAPE AND MACHINES, COLD TEMP TAPE

INTERTAPE REINFORCED PAPER GUM TAPE



Fiberglass reinforced tape is known for its excellent performance in high speed, overfill and underfill applications.

- Consistent adhesive, coating and lamination
- Paper moisturized reduces curl, increases tape stretch & makes tape more flexible
- Larger 15/8" diameter cores assure a tighter wind and full roll utilization (no curl)
- Dispenses on all water activated paper gum tape machines

IPG - ECONOMY GRADE (FOR SEALING 20 LB BOXES)

PART #	WXL	COLOR	ROLLS PER CASE	CASES PER SKID
1087	70mm x 450'	Kraft	10	60
1088	70mm x 450'	White	10	60

IPG - HEAVY-DUTY GRADE (FOR SEALING 35 LB BOXES)

PART #	WXL	COLOR	ROLLS PER CASE	CASES PER SKID
1078	2 ½″ x 450′	Kraft	12	60
1079	3″ x 375′	Kraft	8	75
1080	3″ x 375′	White	8	75
1081	3" x 450'	Kraft	10	60
1082	3″ × 450′	White	10	60
1083	3" × 500'	Kraft	12	60

INTERTAPE NON-REINFORCED PAPER GUM TAPE

Secure closure for sealing light-weight cartons.

- Generous 600' roll length means fewer roll changes
- Water activated vegetable adhesive

IPG - STANDARD GRADE PAPER GUM TAPE

PART #	WXL	COLOR	Paper Weight	ROLLS PER CASE	CASES PER SKID
1072	2″ x 600′	Kraft	60#	15	60
1073	2″ x 600′	White	60#	15	60
1074	2 ½″ x 600′	Kraft	60#	12	60
1075	2 ½″ x 600′	White	60#	12	60
1076	3″ x 600′	Kraft	60#	10	60
1077	3″ x 600′	White	60#	10	60

INTERTAPE COLD TEMPERATURE CARTON SEALING TAPE



7151QT PRODUCTION GRADE COLD TEMPERATURE TAPE

- Recommended in the dairy, meat and frozen food industries, where superior adhesion properties are required for long term storage
- Complies with FDA Act CFR Title 21, Subpart B, Par. 175, 105

PART #	WxL	COLOR	MIL	ROLLS PER CASE	CASE PER SKID
1173	2″ x 110 yards	Clear	1.95	36	45
1174	3″ x 110 yards	Clear	1.95	24	45
1175	2″ x 1,000 yards	Clear	1.95	6	48

PHOENIX PAPER GUM TAPE MACHINES



PHOENIX ELECTRIC PAPER GUM TAPE MACHINE

PART #	TAPE WIDTHS	DESCRIPTION
1092	1″ - 3″	Electric with Heater
1093		Replacement Brush
1180		Replacement Water Bottle

PHOENIX MANUAL PAPER GUM TAPE MACHINE

PART #	TAPE WIDTHS	DESCRIPTION
1094	1″ - 3″	Manual
1095	1″ - 3″	Manual with Heater
1096		Replacement Brush
1181		Replacement Water Bottle

CARTON TAPE

Super strong, pressure sensitive, polypropylene tape for economical, repetitive, volume packing.

- Hot melt adhesive provides a quiet release, easy unwind and extra elongation for help in sealing irregular shapes
- Excellent performance on over-stuffed cartons
- Adheres well to film
- Application temperatures range 45° 110° F.
- Service temperatures range 10° 120° F.

IPG 400 - 2.1 MIL ACRYLIC CARTON SEALING TAPE

PART #	W x L	COLOR	ROLLS PER CASE	CASES PER SKID
1054	2″ x 55 yards	Clear	36	108
1055	2″ x 55 yards	Tan	36	108
1056	2″ x 110 yards	Clear	36	90
1057	2″ x 110 yards	Tan	36	90
1058	3″ x 110 yards	Clear	24	90
1059	2″ x 1,000 yards	Clear	6	48

HOT MELT CARTON SEAL TAPE

INTERTAPE® INDUSTRIAL CARTON SEALING TAPE



IPG 291 - 2.5 MIL ACRYLIC CARTON SEALING TAPE

PART #	WxL	COLOR	ROLLS PER CASE	CASES PER SKID
1066	2″ x 55 yards	Clear	36	54
1067	2″ x 110 yards	Clear	36	45
1068	2″ x 1,000 yards	Clear	6	24



1.6 MIL

PART #	WxL	COLOR	ROLLS PER CASE	LBS. PER CASE
1350	2″ x 110 yards	Clear	36	18
1351	3″ x 110 yards	Clear	24	22

1.8 MIL

PART #	WxL	COLOR	ROLLS PER CASE	LBS. PER CASE
1352	2″ x 55 yards	Clear	36	12
1353	2″ x 55 yards	Tan	36	12
1354	2″ x 110 yards	Clear	36	22
1355	2″ x 110 yards	Tan	36	22
1356	3″ x 110 yards	Clear	24	22
1357	3″ x 110 yards	Tan	24	22

2.0 MIL

PART #	WxL	COLOR	ROLLS PER CASE	LBS. PER CASE
1358	2″ x 55 yards	Clear	36	14
1359	2″ x 55 yards	Tan	36	14
1360	2″ x 110 yards	Clear	36	26
1361	2″ x 110 yards	Tan	36	26
1362	3″ x 110 yards	Clear	24	26
1363	3″ x 110 yards	Tan	24	26

- Excellent adhesion to corrugated at varied temperatures
- Easy/Quiet release
- Variety of thicknesses for various carton weights or performances
- Mfg USA and Canada

SAVE BIG OVER NAME BRAND TAPES KEEP THE DIFFERENCE IN YOUR BUDGET

2.5 MIL


PART #	W×L	COLOR	ROLLS PER CASE	LBS. PER CASE
1364	2″ x 55 yards	Clear	36	12
1365	2″ x 110 yards	Clear	36	22
1366	3″ x 110 yards	Clear	24	22

3.0 MIL

PART #	WxL	COLOR	ROLLS PER CASE	LBS. PER CASE
1367	2″ x 55 yards	Clear	36	14
1368	2″ x 110 yards	Clear	36	26
1369	3″ x 55 yards	Clear	24	22

LABEL PROTECTION, ALL PURPOSE AND FILAMENT TAPE

LABEL PROTECTION TAPE



GENERAL ALL PURPOSE TAPES



PRESSURE SENSITIVE TAPE



FILAMENT TAPE



- Crystal clear label protection.
- High tack adhesive aggressively attaches to plastic, paper, and metal
- Ease of application
- Water resistant

PART #	DESCRIPTION	MIL	ROLLS/CASE	LBS/CASE
1181	4″ x 72 yards	1.8	18	15
1171	5″ x 72 yards	1.8	12	14
1191	6" x 72 yards	1.8	12	17
1192	4" Table Dispenser		1	2
1193	6" Table Dispenser		1	3

PART #	DESCRIPTION	MIL	CARTON QTY	WEIGHT
1327	Masking Tape ¾″ x 60 yards	5.5	48	11 lbs.
1328	Masking Tape 1″ x 60 yards	5.5	36	11 lbs.
1329	Masking Tape 2″ x 60 yards	5.5	24	14 lbs.
1330	Duct Tape 2″ x 60 yards	8.5	24	32 lbs.
1395	Economy Duct Tape 2" x 60 yards	7.0	24	28 lbs.

PRESSURE SENSITIVE ADHESIVE KRAFT TAPE

- Stronger than masking tape
- No water or dispensers needed
- Just apply by hand
- Easy to use

PART #	DESCRIPTION	TENSILE STRENGTH	ROLLS/CASE	LBS/CASE
1370	2″ x 60 yards	50 lb	24	25
1371	3″ x 60 yards	50 lb	16	24

This industrial tape is reinforced with glass filaments for super strength.

- Filament tape is strong yet flexible
- Great for bundling shipments
- Strong adhesive tape holds products together better than string or twine
- Excellent for sealing packages


PART #	W x L	TENSILE STRENGTH	ROLLS PER CASE
1159	1⁄2″ x 60 yards	110 lbs./in. width	72
1160	1⁄2″ x 60 yards	110 lbs./in. width	18
1161	¾″ x 60 yards	110 lbs./in. width	48
1162	¾″ x 60 yards	110 lbs./in. width	12
1163	1″ x 60 yards	110 lbs./in. width	36
1164	1″ x 60 yards	110 lbs./in. width	9
1165	2″ x 60 yards	110 lbs./in. width	24
1166	2″ x 60 yards	110 lbs./in. width	6

INDUSTRIAL FILAMENT TAPE DISPENSERS

PART #	DESCRIPTION	
1167	1" Plastic Dispenser	
1168	1" Metal Dispenser	
1326	2" Plastic Dispenser	

TAPE DISPENSERS AND MANUAL LABEL DISPENSERS

TAPE DISPENSERS



PART # 1321 — PREMIUM MOST POPULAR

Natural rubber roller, hardened all steel heavy gauge blade, heavy duty frame, for durability, available with an adjustable tension brake and our patented safety shield.

PART # 1322 - ECONOMY

Provides an easy economical way to dispense 2 inch wide carton sealing tape. Made from hi-impact plastic and a hardened blade and is perfect for on the spot application of tape.

PART # 1323 — HAND ECONOMY

Versatile solid steel frame tape gun with adjustable brake. Lightweight, more rugged and will last longer than other dispensers and is designed for tapes up to 2 inch wide.

PART # 1324 - HEAVY-DUTY

Professional heavy duty all steel frame tape gun for tape up to 3 inch wide. Designed for high productivity applications, has a hardened blade, natural rubber roller and molded finger grip.

PART #	DESCRIPTION	TAPE SIZE
1321	Premium Most Popular	2″
1322	Economy	2″
1323	Hand Economy	2″
1324	Heavy-Duty	2″
1325	Heavy-Duty (not shown)	3″

SH-400

Ultra-economical pressure sensitive label dispenser is perfect for labels up to 6 inch wide. Easy to adjust and requiring no tools, the specially designed extra sensitive micro-switch senses the edge of the label as it is fed and stops the motor exactly at the same point each cycle. Works on all types, styles and shapes of die-cut and butt-cut labels on a 1" or 3" core.

• Speed: 240 inches per minute • Power: 110 Volt

PART #	L x W x H	MINIMUM LABEL SIZE W x L	MAXIMUM LABEL SIZE W x L	WEIGHT
1342	12″ x 10½″ x 10″	³ ⁄8″ x ⁵ ⁄8″	6″ x 9″	12 lbs.


SH-404TR

Premium label dispenser, peels, releases and advances all types of butt-cut and die-cut labels either opaque or transparent on rolls or fan-folded. When an operator removes one label the next one is automatically dispensed. Designed using opticalreader reliability, can feed all labels whether they are large or small, opaque or transparent, irregular shaped or round. Large roll capacity, high speed motor, heavy duty construction and automatic liner re-winder are all features of this machine.

• Speed: 240 inches per minute • Power: 110 Volt

PART #	L x W x H	MINIMUM LABEL SIZE W x L	MAXIMUM LABEL SIZE W x L	WEIGHT
1341	14″ x 10″ x 11″	³ ⁄8″ x ⁵ ⁄8″	6″ x 14″	13 lbs.

AUTOMATIC LABEL DISPENSERS




LABEL DISPENSERS, PACKING LIST AND ENVELOPES

ECONOMY LIGHT WEIGHT LABEL DISPENSERS



DURABLE METAL LABEL DISPENSERS



GENERAL PURPOSE LABEL DISPENSER

- Built of Heavy-duty Plastic
- Dispenses labels easily & efficiently
- Simple to load and thread
- Available in 2", 4", 6" and 10" widths

PART #	LABEL WIDTH	WEIGHT
LDM202	2″	2 lbs.
LDM204	4″	2 lbs.
LDM206	6″	3 lbs.
LDM210	10″	3 lbs.

PDL SERIES

Non-slip feet to hold the dispenser securely to any bench top. Heavy duty metal construction and roll separators allowing for multiple label roll use.

PART #	WIDTH	PART #	WIDTH
1331	3 ½″	1334	81/2"
1332	4 1/2"	1335	12½″
1333	6 ½″		

MDL SERIES


Use as either a bench mount or mounted on a wall. This large roll capacity all steel machine can handle roll diameters up to 7 inch on a 1 inch core. Machine has 3 inch core holders.

PART #	WIDTH	PART #	WIDTH
1336	3 1/2″	1339	81/2″
1337	4 1/2"	1340	12½″
1338	6 1/2"		

PACKING LIST AND SHIPPING ENVELOPES



Made of tough polyethylene with aggressive permanent adhesive. Back loading style. 1000 per case.



119 - 5½" x 10"

STRETCH FILM, SHRINK WRAP FILM AND EQUIPMENT

EXTENDED CORE STRETCH FILM

EXTENDED CORE STRETCH FILM DOES NOT REQUIRE A DISPENSER.

- Complete disposable hand wrap system.
- Extended 41/2" core acts as handles.
- Quiet and ultra clear cast film.



PART #	WxL	GAUGE	FILM COLOR	ROLLS PER CASE
1400	20″ x 1,000′	70	Clear	4
1417	30″ x 1,000′	70	Clear	4
1402	1 <i>5″</i> x 1,000′	80	Clear	4
1403	20″ x 1,000′	80	Clear	4
1404	30" × 1,000'	80	Clear	4

SHRINK WRAP EQUIPMENT



SUPER-SEALER[®] SYSTEMS

- Heavy-duty steel construction features a built-in adjustable timer with LED light. UL listed.
- Super-Sealer System includes: Bag sealer, #SWSVAR Heat Gun, 200' of 75 gauge PVC film and 1 service kit.
- Super-Sealer Service Kit includes: Sealing pad, (5) 3 Mil Teflon® tape strips, (3) 10 Mil Teflon® tape strips, wire, micro switch, arm spring and fuse.

SYSTEM PART #	SERVICE KIT PART #	SEAL WIDTH
1407	1420	13″
1408	1421	18″

HEAT GUNS

• Use for a variety of applications including heating shrink film and removing paint or varnish. UL listed.

PART #	DESCRIPTION	HIGH TEMPERATURE	LOW TEMPERATURE
1409	Variable Temperature	1,100°F	250°F

BUNDLING STRETCH FILM

NARROW WIDTH, USE TO BUNDLE SMALL LIGHT-WEIGHT PRODUCTS FOR SHIPMENT.

- Faster and more economical to use than tape, strapping or twine.
- One plastic dispenser is included in each case.
- Dispenser can be used with 3" or 5" Narrow Width Bundling Stretch Film.
- Quality quiet cast stretch film.

PART #	W x L	GAUGE	ROLLS PER CASE
1405	3″ x 1,000′	80	18
1406	5″ x 1,000′	80	12

JEW

<u>©Exlfilmplus</u> Shrink film

EXCELLENT PERFORMANCE ON ALL TYPES OF MANUAL, SEMI-AUTO AND AUTOMATIC EQUIPMENT

- Multi-layer, biaxially oriented shrink film requires no dwell time.
- High gloss appearance and excellent clarity.
- Puncture resistant, centerfold shrink film.
- Works well on irregularly shaped items.
- Meets FDA requirements for direct food contact.
- Great for cold temperature shortage applications.
- Approved for mailings by the U.S. Postal Service.


60 GAUGE EXLFILMPLUS™ SHRINK FILM

PART #	WxL	ROLLS PER CASE
1410	6″ x 4,375′	2
1411	8″ x 4,375′	2
1412	10″ x 4,375′	2
1413	12″ x 4,375′	1
1414	14″ x 4,375′	1
1415	16″ x 4,375′	1
1416	18″ x 4,375′	1



GARDEN FENCE, PLANT PROTECTION AND FAUCET COVER

• Easy to use





MODULAR PLANT AND GARDEN FENCE SYSTEM

Protect your office and commercial building flowers and plants.

- Keep critters and animals from harming flowers and plants
- Expandable with multiple kits

• Reusable year after year

Garden Kit contains: six $17\frac{1}{2}$ " x 24" high, $\frac{1}{2}$ " square green wire mesh panels and six connector stake rods.

EZ-Grow box with modular fencing protects plants from wind and critters. Ideal for: balcony's, patios, home and business, indoors and out.

Join us at polargrowbox.com for helpful exchange of growing and recycling, pictures, stories, facts and fun.



EPS FOAM PLANT PROTECTION SYSTEMS



PROTECT YOUR FLOWERS AND PLANTS FROM HARSH WINTERS

Polar Safe - Industrial strength EPS foam plant protection systems against

- Protection against freezing temperatures and animals and pesky critters
- Reusable

Durable for year after year use. Secure plant cone into ground using hold down anchors

PART #	DESCRIPTION	DIMENSIONS
1505	Standard – Freeze Temperature	12″ x 12″ x 14 ″ high
1506	Medium – Sub Freeze Temperature	16″ x 16″ x 18″ high
1507	Large – Extreme Freeze Temperature	18″ x 18″ x 20″ high
1508	Extra Hold Down Anchors – 20/bundle	

INSULATED FAUCET COVER



Protects outside faucet from freezing.

Polar Safe – Industrial large faucet insulated cover — Protects below sub-zero temperatures

- Quick and Easy to use
- Double wire tie secure
- Re-use year after year

Part # 1509 Large faucet cover

PERSONAL TOUCH

CUSTOM APPLICATIONS

We understand that your image is everything.

This is especially true in the final presentation of your product.

Knowing this enables us to work with you in selecting the shipping system that is not only functional but also enhances your product among its competitors.

We address this need with many customizing options within our varied stock product line.

For more detailed assistance, please contact our customer representatives at **1-800-423-2749**

FOAM CONTAINERS

Our EPS foam containers can be embossed on the lid with your logo as a permanent design.

Great for customer impression, recognition and re-use as a personal cooler with your memorable company logo visible.

REFRIGERANT PACKS

Add promotional impact and increased market exposure by using our ICE-BRIX® gel refrigerant packs.

Your logo or design can be imprinted on these bags in red, green, blue or black. Low minimum runs, small set-up charge required. 4 color process is available, call for details.

PANELS & INSERTS

When our stock sizes are not close enough to fit your product or you require special protection, we still have options available to you.

We inventory EPS foam and polystyrene foams that can be cut to any thickness to line a custom-sized box to meet your packaging requirements.

Custom Pads and/or Inserts can assist with specific product placements and protection.

CUSTOM CORRUGATED

Our Carry Packs and other corrugated products can all be printed to your specifications.

It's a safe and impressive way to transport your perishables. Taken home via train, airline, bus—portable advertising.

Ideal for any industry: Seafood, Steaks, Gourmet Chocolates, Pastries or Dairy Products










PERISHABLE PACKAGING ASSISTANCE

TEMPERATURE CONVERSION CHART




Perishable Packaging Assistance

Packaging should never be taken lightly. To have an impact, packaging must assert itself. Manufacturers often think of packaging as an expense but it is one of their most important investments. Perishable packaging carries enormous responsibilities. Our packaging designers will work with you to protect your product from both internal and external damage during transport, not to mention temperature protection. We have developed programs combined with our sophisticated

DRY ICE - FROZEN


A general guide for use with Block Dry Ice is: Dry Ice sublimates approximately 3 to 5 pounds per day. The larger the shipment or container, the more dry ice that is generally required. You should surround your product (top, bottom, & sides) for uniform freezing. Pellet, rice & crushed dry ice requires additional pounds per day, due to it's faster sublimation.



test labs to assist in determining the most effective packaging for each shipping situation. With continual testing of all containers and refrigerants, we suggest containers with the appropriate wall thickness, as well as type and amount of refrigerant required for your chosen mode of transportation. See back cover for all sizes, dimensions and part numbers. Always call with questions, for more Frequently Asked Questions, visit our web-site at www.polar-tech.com


REFRIGERANT PACKS – CHILLED

The general guide for refrigerant packs is a min. of 1:5 to 1:3 pound ratio of refrigerant to product. Larger shipments or containers may require additional refrigerant packs. For best results, surround products for optimum performance during shipping Special consideration for temperature and climate seasonal changes may require more or less refrigerant packs.




WARMING -HEAT SINK

Prevent your products from freezing by heating refrigerant packs in boiling water or on 'Low' heat microwave setting. This is called a "Heatsink", and can be used to ship products in the Winter that might freeze in shipment. For best results, surround your product on all sides with 68°F or higher warm packs for extended shipping times.



CONTROLLED TEMP. RANGE

The general guide for refrigerant packs cold/warm and frozen is a minimum of 1:3 lb ratio of refrigerant to product. Lager shipments or containers may require additional refrigerant packs. For best results, surround products with cold/warm refrigerants and frozen to the surrounding cold/warm packs, for controlled temperature performance. For best results we recommend testing to adjust amounts for the desired results.



Copy this order form and fax to 815-784-9009

Customer #		Date		
Company				
Contact		Dept		
Name		Phone		
Address			State	_ Zip
Ship to (if different)				
Name		Phone		
Address	_ City		State	_ Zip

E-Z Ordering by 3

Polar Tech Industries E-Z Order Form			
Product Number	Description	Quantity	Price
Special Instructions:	·	Sub Total	
		II. Tax	
		Total	

Payment Options			
Net 30 Approved P. O. #	_ Confirmation Call?	AMIERIGAN EXIPRESS	VISA
Card #			6
Exp. Date	CVC #	MasterCard	DICOVER
Signature	_ Date	Contract loss of the	Smart Pay
Polar Tech's Standard Terms and Conditions of Sale apply to al Polar Tech. Polar Tech objects to any terms or conditions that a		GSA GSA	Start and
Standard Terms and Conditions. Such Standard Terms and Co	nditions of Sale are available on Polar	Electronic Fu	nds Transfer,
Tech's website, <u>www.polar-tech.com</u>		call 815-784-	9000

Polar Tech Industries, Inc.

415 East Railroad Avenue Genoa, IL 60135 1-800-ICE-BRIX www.polar-tech.com

Proven Thermal Protection Packaging That Delivers Temperature Sensitive Products Safely.





HAVE A SMART PHONE? Scan the barcode and you will be directed to our website.

Form No. S-0711-1 © 2011 Polar Tech Industries, Inc.

Black Ice, Cool Stuff, Curtain of Cold, Global Extreme, Ice-Brix, Overnite, Polar Express, Re-Freez-R-Brix, Safeway, Tech Pack and Thermo Chill are trademarks of Polar Tech Industries, Inc.

1-800-ICE-BRIX

www.polar-tech.com